


STANDARD STREET CUT PROCEDURE



NOTE:

FOR POTHOLE 12" DIA & SMALLER -ALL CONCRETE

FOR 1' X 1' & LARGER HAND COMPACT LAYERS AS SHOWN & FINISH
WITH CONCRETE

FOR USE BETWEEN APRIL 15 AND NOVEMBER 15

SHEET 1 OF 3



CITY OF KALAMAZOO
Department Of Public Services

STANDARD STREET CUT PROCEDURE

10/30/18

RECOMMENDED BY _____

DATE


APPROVED BY _____

APPROVED BY _____

ACCEPTED BY _____

WINTER STREET CUT PROCEDURE

WITH HMA TOP COAT



NOTE:

* WHEN PERFORMING WORK ON RCKC OR MDOT MAINTAINED ROADWAY, REPLACE WITH 22A SUPPLIED FROM A CERTIFIED PIT

FOR POTHOLES 12" DIA & SMALLER -ALL CONCRETE

FOR 1' X 1' & LARGER HAND COMPACT LAYERS AS SHOWN & FINISH WITH CONCRETE

FOR USE BETWEEN APRIL 15 AND NOVEMBER 15 WHEN HMA OVERLAY IS REQUIRED AS DIRECTED BY ENGINEER

SHEET 2 OF 3



CITY OF KALAMAZOO
Department Of Public Services

WINTER STREET CUT PROCEDURE

10/26/18

RECOMMENDED BY _____

DATE


APPROVED BY _____

APPROVED BY _____

ACCEPTED BY _____

WINTER STREET CUT PROCEDURE

WITH CONCRETE TOP COAT



NOTE:

* WHEN PERFORMING WORK ON RCKC OR MDOT MAINTAINED ROADWAY,
REPLACE WITH 22A SUPPLIED FROM A CERTIFIED PIT

FOR POTHoles 12" DIA & SMALLER -ALL CONCRETE

FOR 1' X 1' & LARGER HAND COMPACT LAYERS AS SHOWN & FINISH WITH CONCRETE

FOR USE BETWEEN APRIL 15 AND NOVEMBER 15 WHEN HMA OVERLAY IS REQUIRED
AS DIRECTED BY ENGINEER

SHEET 3 OF 3



CITY OF KALAMAZOO
Department Of Public Services

WINTER STREET CUT PROCEDURE

10/26/18

RECOMMENDED BY _____

DATE

APPROVED BY _____

APPROVED BY _____

ACCEPTED BY _____