

# Department of Management Services Purchasing Division

241 West South Street Kalamazoo, MI 49007-4796

Phone: 269.337.8020 Fax: 269.337.8500

www.kalamazoocity.org purchasing@kalamazoocity.org

#### **INVITATION FOR BIDS (IFB)**

The City of Kalamazoo, Michigan is soliciting sealed bids for:

Project Name: Tertiary Chemical Valves Bid Reference #: 89028-001.0

IFB ISSUE DATE: September 7, 2023

BID DUE/OPENING DATE: September 26, 2023 at 3:30 p.m. Local Time (ET)

Electronic Bids Will Not Be Accepted.

#### **MAILING ADDRESS & INSTRUCTIONS**

Mail to:Questions about this IFB should be directed to:Purchasing DivisionDepartment Contact: Drew Posey,241 W. South StreetPlant Maintenance Supervisor at (269) 251-8024 orKalamazoo, MI 49007poseyd@kalamazoocity.org

Include on the Envelope the Project Name and Bid Reference Number. All Envelopes Must Be Sealed.

You are invited to submit a bid for this project. Specifications, terms, conditions and instructions for submitting bids are contained herein. This Invitation for Bids with all pages, documents and attachments contained herein, or subsequently added to and made a part hereof, submitted as a fully and properly executed bid shall constitute the contract between the City and the successful bidder when approved and accepted on behalf of the City by an authorized official or agent of the City. Please review the bid document as soon as possible and note the **DEADLINE FOR QUESTIONS** in the Instructions to Bidders.

All bidders shall complete and return the Bid and Award page(s) and submit all information requested herein in order for a bid to be responsive. The bid document shall be returned in its entirety, in a properly identified and sealed envelope to the Purchasing Division at the above address. **BIDS MUST BE RECEIVED BEFORE THE DUE DATE - LATE BIDS WILL NOT BE CONSIDERED.** The City reserves the right to postpone the bid opening for its own convenience.

#### TABLE OF CONTENTS

<b>SECT</b>	CION	PAGE #	<b>APPENDICES</b>
	Statement of No Bid		A - Non-Discrimination
I	Instructions to Bidders	1-2	B - Specifications
II	Bid & Award Pages	3 - 8	
III	Specifications & Special Conditions	9 - 10	
IV	Terms & Conditions	11 - 15	

#### STATEMENT OF NO BID

Bid Reference #: 89028-001.0

NOTE: If you <u>DO NOT</u> intend to bid on this commodity or service, please complete and return this form immediately. Your response will assist us in evaluating all responses for this important project and to improve our bid solicitation process.

The Purchasing Division of the City of Kalamazoo wishes to keep its bidders list file up-to-date. If, for any reason you cannot supply the commodity/service noted in this bid solicitation, this form must be completed and returned to remain on the particular bid list for future projects of this type.

If you do not respond to this inquiry within the time set for the bid opening date and time noted, we will assume that you can no longer supply this commodity/service, and your name will be removed from this bid list.

	Specifications too "tight", i below).	.e. geared toward one	brand or manufa	acturer only (e	xplain
	Specifications are unclear (ex	xplain below).			
	We are unable to meet specif	fications.			
	Insufficient time to respond t	to the Invitation for Bid.			
	Our schedule would not perm	nit us to perform.			
	We are unable to meet bond	requirements.			
	We are unable to meet insura	ance requirements.			
	We do not offer this product	or service.			
	Remove us from your bidder	rs list for this commodity	or service.		
	Other (specify below).				
REMARKS:					
			(Type or Prin	nt)	
TITLE:		DATE:			
FIRM NAME	E:(if any)				
ADDRESS:					
	(Street address)	(City)	(State)	(Zip)	
PHONE:		FAX:			
EMAIL:					

#### SECTION I INSTRUCTIONS TO BIDDERS

Page 1

Bid Reference #: 89028-001.0

- 1. **EXAMINATION OF BID DOCUMENT**-Before submitting a bid, bidders shall carefully examine the specifications and shall fully inform themselves as to all existing conditions and limitations. The bidder shall indicate in the bid the sum to cover the cost of all items included on the bid form.
- 2. **PREPARATION OF BID**-The bid shall be legibly prepared in ink or typed. If a unit price or extension already entered by the bidder on the Bid and Award form is to be altered, it shall be crossed out and the new unit price or extension entered above or below and initialed by the bidder with ink. The bid shall be legally signed and the complete address of the bidder given thereon.

All bids shall be tightly sealed in an envelope plainly marked SEALED BID and identified by project name, bid opening date and time. Bids opened by mistake, due to improper identification, will be so documented and resealed. The Purchasing Division will maintain and guarantee confidentiality of the contents until the specified opening date and time. Bids submitted electronically will not be accepted.

- 3. **EXPLANATION TO BIDDERS**-Any binding explanation desired by a bidder regarding the meaning or interpretation of the Invitation for Bids (IFB) and attachments must be requested in writing, at least 5 business days before the bid opening so a reply may reach all prospective bidders prior to the submission of bids. Any information given to a prospective bidder concerning the IFB will be furnished to all prospective bidders as an amendment or addendum to the IFB if such information would be prejudicial to uninformed bidders. Receipt of amendments or addenda by a bidder must be acknowledged in the bid by attachment, or by letter or fax received before the time set for opening of bids. Oral explanation or instructions given prior to the opening will not be binding.
- 4. **CASH DISCOUNTS**-Discount offered for payment of less than thirty (30) days will not be considered in evaluating bids for award. Offered discounts of less than thirty (30) days will be taken if payment is made within the discount period, even though not considered in evaluation of the bid.
- 5. **WITHDRAWAL OF BIDS**-Bids may be withdrawn in person by a bidder or authorized representative, provided their identity is made known and a receipt is signed for the bid, but only if the withdrawal is made prior to the exact time set for receipt of bid. No bid may be withdrawn for at least ninety (90) days after bid opening.
- 6. **ALTERNATE BIDS**-bidders are cautioned that any alternate bid, unless specifically requested or any changes, insertions or omissions to the terms and conditions, specifications or any other requirement of this IFB may be considered non-responsive, and at the option of the City, result in rejection of the alternate bid.
- 7. **LATE BIDS**-Any bid received at the office designated herein after the exact time specified for receipt will not be considered. (Note: The City reserves the right to consider bids that have been determined by the City to be received late due to mishandling by the City after receipt of the bid and no award has been made.)
- 8. **UNIT PRICES**-If there is a discrepancy between unit prices and their extension, unit prices shall prevail.
- 9. **BID SUBMITTAL** Bidders can submit sealed bids in one of the following ways:
  - 9.1. **Mail your bid,** to be received before the bid due date and time indicated in the bid document, to the City of Kalamazoo at the following address:

Bid Reference #: 89028-001.0

City of Kalamazoo Purchasing Division 241 West South Street Kalamazoo, MI 49007


- 9.2. **Deliver your bid to City Hall In-Person** before the bid due date and time indicated in the bid document.
- 9.3. **Deliver your bid to the Treasurer's Office Payment Drop Box** located in the northwest corner of City Hall (see photos below) before the bid due date and time indicated in the bid document.





1. Open drop box located at City Hall.





10. **BID TABULATIONS**- The Purchasing Division makes an effort to post bid tabulations to the City of Kalamazoo website within 24 hours after the bid opening date and time at: <a href="https://www.kalamazoocity.org/bidopportunities">https://www.kalamazoocity.org/bidopportunities</a>. However, in certain cases the posting of the bid tabulation may extend beyond the 24-hour window.

Bid Reference #: 89028-001.0

#### SECTION II BID AND AWARD

The undersigned having become thoroughly familiar with all of the bid/contract documents incorporated herein, hereby proposes to perform everything required to be performed in strict conformity with the requirements of these documents, and to provide and furnish all the equipment and materials necessary to complete in a professional manner the furnishing of the following, meeting or exceeding the specifications as set forth herein for the prices as stated below.

#### TERTIARY CHEMICAL VALVES

Item	Description	Qty	Units	<b>Unit Price</b>	<b>Extended Price</b>
1	2101 Valves Actuated Asahi M1231340	5	EA		
	1-1/2 PVC/EPDM T21A SST W/CP SOC				
2	2101 Valves Actuated Asahi M1231341	30	EA		
	<sup>3</sup> / <sub>4</sub> PVC/EPDM T21A SST W/CP SOC				
	TOTAL PRICE				

The stated unit prices shall include the cost of equipment, labor, and all associated costs and fees for the new valves delivered F.O.B. to 1415 Harrison Street, Kalamazoo, MI 49007.

The valves shall be received by November 1, 2023. Contractor shall deliver new tertiary chemical valves F.O.B. to 1415 Harrison St., Kalamazoo, MI 49007.

All prices stated shall be in U.S. dollars.

#### PRODUCT SUBSTITUTION

(must conform with procedure outlined in SECTION III, SPECIFICATIONS & SPECIAL CONDITIONS, 7. PRODUCT/SYSTEM SUBSTITUTIONS):

(Substitute Submitted)
(Substitute Submitted)
(Substitute Submitted)

Bidder shall provide all of the information as requested herein with their bid. Failure to do so and/or failure to provide post-bid requested information may be cause for rejecting the bid as non-responsive.

#### CITY OF KALAMAZOO – INVITATION FOR BIDS Tertiary Chemical Valves

Page 4 Bid Reference #: 89028-001.0

Bid Reference #: 89028-001.0

#### CITY OF KALAMAZOO EX-OFFENDER POLICY CHECKLIST

As part of the City's commitment to reducing unacceptable poverty, encouraging rehabilitation, reducing recidivism and strengthening families in Kalamazoo, the City has updated its Purchasing Policy to ensure that firms with whom the City does business share in this commitment by utilizing hiring practices that do not unfairly deny people with arrest and conviction records gainful employment. (Important: This requirement also extends to any subcontractors the bidder intends to use to fulfill the contract for goods or services being sought from the City.)

Part I: Proof that the bidder does not inquire about an individual's past arrest or criminal history on the bidders employment application form					
Attach a copy of the current application	for employment being used by the bid	dder			
rt II: Certification that the bidder does y to unlawfully discriminate against th	<u> </u>				
That pursuant to federal or state law bide criminal records from holding particular providing a cite to the applicable statute citation to the applicable statute or rule crelying:	positions or engaging in certain occup or regulation; if checking this box, pro	ations by			
That bidder conducts criminal history background checks only as necessary, and only after making a conditional offer of employment; that any withdrawal of an offer of employment to an individual because of a past criminal history is job-related and consistent with business necessity after the individual has been provided an individualized assessment opportunity to review and challenge or supplement the history of past criminal conduct being relied upon by the bidder;					
That the use by bidder of criminal history Equal Employment Opportunity Commis Consideration of Arrest and Conviction Finder has not had a determination rend discriminated against a person through thistory	sion's Enforcement Guidance on the Records in Employment Decisions and ered against it in past 7 years that it	d that the			
I CERTIFY THAT THE ABOVE STATEM	MENTS ARE TRUE.				
Date	Signature				
	Printed Name				

Position

# CITY OF KALAMAZOO

LOCAL PREFERENCE POLICY AND CERTIFICATION

Page 6

Bid Reference #: 89028-001.0

The lowest responsive Kalamazoo County bidder whose bid is not low but falls within 2% of the lowest responsive bid is afforded the opportunity to become the successful bidder if it agrees to reduce its bid to match the lowest responsive bid. The City of Kalamazoo is the sole determiner whether a bidder is responsible, qualifies as a Kalamazoo County bidder, and if its bid is responsive to the City's specifications, terms and conditions.

If the lowest Kalamazoo County bidder chooses not to match the lowest bid, the next lowest responsive Kalamazoo County bidder whose bid falls within 2% of the lowest bid, is given the opportunity to match the lowest responsive bid.

To qualify as a Kalamazoo County bidder, the bidder must meet both the following criteria:

- 1. Have a physical presence in Kalamazoo County by maintaining a permanent office, factory or other facility in Kalamazoo County with employees working in Kalamazoo County.
- 2. Have paid real or personal property taxes related to said business to the City of Kalamazoo, County of Kalamazoo or other municipal corporation within Kalamazoo County in the previous tax year, except that a non-profit entity need not meet this requirement.

This local preference policy applies only to purchases for materials, supplies, capital outlay, and services for maintenance, repair or operation of City facilities that are over \$25,000. If more than 50% of the contract is subcontracted to firms located outside of Kalamazoo County that bid does not qualify for the local preference policy outlined above. The local preference policy will not apply if prohibited by law. The Purchasing Agent has the authority to finally determine if the bidder qualifies as a Kalamazoo County bidder as set forth herein. The Purchasing Agent may take into account the permanency of the business in Kalamazoo, and whether the business appears to be claiming to be a Kalamazoo County business solely or primarily to qualify as a Kalamazoo County business under this Resolution, and any other material factors.

#### **CERTIFICATION**

Revised April 2008

If you qualify as a Kalamazoo County bidder and wish to be considered for the local preference provisions as provided above please certify that fact by providing the information requested below and attesting to its accuracy.

Firm Name:		
Street Address of Business:		
City, State, and Zip Code:		
Number of employees working i	Kalamazoo County:	
Name the city or township to wh	ch business real and/or persona	al property taxes are paid or provide non-profit status:
The above information is accura	e:	
Signature:		Date:
Title:		

Please answer the following questions completely.

#### Page 7

Bid Reference #: 89028-001.0

#### REFERENCE QUESTIONNAIRE

1. Firm name: Established: Year Number of Employees: 2. 3. Type of organization: a. Individual: b. Partnership: \_\_\_\_\_ c. Corporation: d. Other: 4. Former firm name(s) if any, and year(s) in business: 5. Include at least 3 references of contracts for similar work performed over the last five (5) years. Include: owner, contact person and phone number and description of work performed. 5.1 Company Name: Type of work or contract: 5.2 Company Name: Phone: Type of work or contract: 5.3 Company Name: \_\_\_\_\_ Phone: \_\_\_\_\_ Contact: \_\_\_\_\_ Type of work or contract: I hereby certify that all of the information provided is true and answered to the best of my ability. Signed: \_\_\_\_\_\_ Name: \_\_\_\_\_ (type or print) Title: Date:

#### CITY OF KALAMAZOO – INVITATION FOR BIDS Tertiary Chemical Valves

of the City of Kalamazoo that would tend to destroy or hinder free competition.

Page 8 Bid Reference #: 89028-001.0

I hereby state that all of the information I have provided is true, accurate and complete. I hereby state that I have the authority to submit this bid which will become a binding contract if accepted by the City of Kalamazoo. I hereby state that I have not communicated with nor otherwise colluded with any other bidder, nor have I made any agreement with nor offered/accepted anything of value to/from an official or employee

The firm's identification information provided will be used by the City for purchase orders, payment and other contractual purposes. If the contractual relationship is with, or the payment made to, another firm please provide a complete explanation on your letterhead and attach to your bid. Please provide for accounts payable purposes: Tax Identification Number (Federal ID): Remittance Address: Financial Contact Name: Financial Contact Phone Number: Financial Contact Email Address: I hereby state that I have read, understand and agree to be bound by all terms and conditions of this bid document. NAME: \_\_\_\_\_(Type or Print) SIGNED: TITLE: DATE: FIRM NAME: \_\_\_\_\_(if any) ADDRESS: \_\_\_\_\_ (Street address) (City) (State) (Zip) PHONE: FAX: \_\_\_\_\_ EMAIL ADDRESS: \_\_\_\_

FOR CITY USE ONLY - DO NOT WRITE BELOW

**Tertiary Chemical Valves** 

#### **SECTION III** SPECIFICATIONS & SPECIAL CONDITIONS

Page 9

Bid Reference #: 89028-001.0

#### **INTENT** 1.

It is the intent of this Invitation for Bids (IFB) to procure five (5) 1-1/2" Asahi actuated 2101 tertiary chemical valves with Chem Proline fusible pucks and 30 (thirty) 3/4" Asahi actuated tertiary chemical valves with Chem Proline fusible pucks described in the specifications and bid document which will function properly with the City's existing infrastructure, delivered to the City of Kalamazoo (City) Water Reclamation Plant. Installation of the tertiary chemical valves is not a part of this contract.

#### 2. **DELIVERY**

Contractor will deliver the new tertiary chemical valves F.O.B. to 1415 Harrison Street, Kalamazoo, MI 49007. Arrangements for valve delivery can be made by contacting **Drew Posey** at (269) 251-8024. The valves shall be received by November 1, 2023.

#### 3. **BID PRICE**

The stated unit prices shall include the cost of equipment, labor, and all associated costs and fees for the new valves and required pucks delivered F.O.B. to 1415 Harrison Street, Kalamazoo, MI 49007.

#### 4. **SPECIFICATIONS**

See specification sheet included as *Appendix B*.

Type-21a SST, True Union Ball Valves

Size: 1-1/2"

Type-21a SST, True Union Ball Valves

Size: 3/4"

The fusible chem proline pucks needed for this project are T21A SST W/CP SOCKET for both the 1-1/2" and 3/4" valves.

#### 5. WARRANTY

The valves shall be warranted for a period of at least one (1) year after the receipt of the valves. The Contractor shall repair or replace at their expense all or any defects to the valves for that time period. This warranty shall include all trouble shooting, travel costs, and cost for removing and reinstalling the valves, if necessary.

#### 6. SELECTION CRITERIA

This purchase will be awarded to the responsive, responsible bidder whose bid will be most advantageous to the City, price and other factors considered. The City reserves the right to accept or reject any or all bids and waive informalities and minor irregularities for bids received. Notification of award will be in writing by the Purchasing Division.

#### 7. PRODUCT/SYSTEM SUBSTITUTIONS

The inclusion of a manufacturer's name, trademark, or other proprietary identification of a product shall not limit competition, but shall establish a standard of quality. However, the substitution of a

#### CITY OF KALAMAZOO – INVITATION FOR BIDS Tertiary Chemical Valves PRODUCT/SYSTEM SUBSTITUTIONS (cont.)

Page 10 Bid Reference #: 89028-001.0

product in place of that specified shall be permitted only upon the Owner's issuance of written approval in the form of an Addendum, following the procedure as outlined below.

Submit a written request, to be received not later than 10 business days prior to scheduled bid opening, for Substitution of any Product not named. If no substitutions are submitted, it will be reasonably concluded by the Owner that the specified product will be incorporated into the Work and the Bidder will be committed to supplying the specified product.

- 7.1 Describe in detail any variance to the Product specified. All proposed substitution for specified items shall be substantially the same size (height, length, width, diameter, etc.), type, color, construction quality and shall meet the design intent to be considered for substitution for the Product specified.
- 7.2 Document each request with complete data substantiating compliance of proposed Substitution with Product specified including written certification that Product conforms to or exceeds all requirements of the Product specified.
- 7.3 Document all coordination information, including a list of changes or modifications needed to the Contract Documents or other parts of the Work and to construction performed by the Owner and Separate Contractors that will become necessary to accommodate the proposed substitution.
- 7.4 Provide name, address and telephone number of manufacturer's authorized representative.
- 7.5 Submit three copies of all documents for each request for Substitution for consideration.
- 7.6 Approval of the Substitution request, if given, will be in the form of an addendum issued prior to scheduled opening date and hour at local time.

#### 8. **QUESTIONS**

Bidders shall address questions regarding the specifications to Drew Posey, Plant Maintenance Supervisor at (269) 251-8024 or <a href="maintenance-poseyd@kalamazoocity.org">poseyd@kalamazoocity.org</a>. (This does not relieve the requirements of Page 1, Item 3.) Questions regarding terms, conditions and other related bid requirements may be addressed to Craig Hull, Senior Buyer, at (269) 337-8444.

Bid Reference #: 89028-001.0

#### SECTION IV TERMS AND CONDITIONS

#### 1. AWARD OF CONTRACT

A. This contract will be awarded to that responsible bidder whose bid, conforming to this solicitation, will be most advantageous to the City, price and other factors considered. The City reserves the right to accept or reject any or all bids and waive informalities and minor irregularities in bids received. Other factors include, as an example but not limited to, delivery time, conformance to specifications, incidental costs such as demurrage and deposits, etc.

Notification of award will be in writing by the Purchasing Agent. Upon notification, the Contractor shall submit to the Purchasing Division all required insurance certificates (if required) and such other documentation as may be requested or required hereunder. Upon their receipt and subsequent approval by the City, the Purchasing Agent will forward to the Contractor a written **NOTICE TO PROCEED**. Work shall **NOT** be started until such **NOTICE TO PROCEED** is received by the Contractor.

- B. Unilateral changes in bid prices by the bidder shall not be allowed. However, the City, at its sole option, reserves the right to negotiate with bidders in the event of, but not limited to:
  - 1) No bids received;
  - 2) A single bid being received; or
  - 3) Prices quoted or bid are over budget and/or unreasonable.

#### 2. COMPLETE CONTRACT

This bid document together with its addenda, amendments, attachments and modifications, when executed, becomes the complete contract between the parties hereto, and no verbal or oral promises or representations made in conjunction with the negotiation of this contract shall be binding on either party.

#### 3. SUBCONTRACTORS - NON ASSIGNMENT

Bidders shall state in writing any and all sub-contractors to be associated with this bid, including the type of work to be performed. The Contractor shall cooperate with the City of Kalamazoo in meeting its commitments and goals with regard to maximum utilization of minority and women-owned business enterprises.

The Contractor hereby agrees and understands that the contract resulting from this solicitation shall not be transferred, assigned or sublet without prior written consent of the City of Kalamazoo.

#### 4. TAXES

The City of Kalamazoo is exempt from all federal excise tax and state sales and use taxes.

Bid Reference #: 89028-001.0

#### 5. **INVOICING**

All original invoice(s) will be sent to the Financial Services Division, 241 W. South Street, Kalamazoo, MI 49007 or via email at <a href="mailto:apinvoice@kalamazoocity.org">apinvoice@kalamazoocity.org</a>. The Finance Division processes payments after receipt of an original invoice from the Contractor and approval by the department. The City of Kalamazoo's policy is to pay invoice(s) within 30 days from the receipt of the original invoice, if the services or supplies are satisfactory and the proper paperwork and procedures have been followed. In order to guarantee payment to the vendor on a timely basis, the vendor needs to receive a purchase order number before supplying the City of Kalamazoo with goods or services. All original, and copies of original invoice(s), will clearly state which purchase order they are being billed against.

The City of Kalamazoo is a government municipality and therefore is tax exempt from all sales tax.

The vendor is responsible for supplying the Finance Division with a copy of their W9 if they are providing a service to the City of Kalamazoo.

#### 6. **PAYMENTS**

Unless otherwise specified by the City in this contract, the Contractor will be paid in not more than thirty (30) days after receipt of a properly executed invoice, the sum stipulated herein for supplies delivered and accepted, or service rendered and accepted. Payments are processed by the Management Services Financial Services Division after receipt of an original invoice from the Contractor and approval by the department.

#### 7. CHANGES AND/OR CONTRACT MODIFICATIONS

The City reserves the right to increase or decrease quantities, service or requirements, or make any changes necessary at any time during the term of this contract, or any negotiated extension thereof. Price adjustments due to any of the foregoing changes shall be negotiated and mutually agreed upon by the Contractor and the City.

Changes of any nature after contract award which reflect an increase or decrease in requirements or costs shall not be permitted without prior approval by the Purchasing Agent. City Commission approval may also be required.

ANY CHANGES PERFORMED IN ADVANCE OF PURCHASING AGENT APPROVAL MAY BE SUBJECT TO DENIAL AND NON-PAYMENT.

#### 8. LAWS, ORDINANCES AND REGULATIONS

The Contractor shall keep himself/herself fully informed of all local, state and federal laws, ordinances and regulations in any manner affecting those engaged or employed in the work and the equipment used. Contractor and/or employees shall, at all times, serve and comply with such laws, ordinances and regulations.

Any permits, licenses, certificates or fees required for the performance of the work shall be obtained and paid for by the Contractor.

This contract shall be governed by the laws of the State of Michigan.

Bid Reference #: 89028-001.0

#### 9. **RIGHT TO AUDIT**

The City or its designee shall be entitled to audit all of the Contractor's records, and shall be allowed to interview any of the Contractor's employees, throughout the term of this contract and for a period of three years after final payment or longer if required by law to the extent necessary to adequately permit evaluation and verification of:

- A. Contractor compliance with contract requirements,
- B. Compliance with provisions for pricing change orders, invoices or claims submitted by the Contractor or any of his payees.

#### 10. HOLD HARMLESS

If the negligent acts or omissions of the Contractor/Vendor or its employees, agents or officers, cause injury to person or property, the Contractor/Vendor shall indemnify and save harmless the City of Kalamazoo, its agents, officials, and employees against all claims, judgments, losses, damages, demands, and payments of any kind to persons or property to the extent occasioned from any claim or demand arising therefrom.

#### 11. **DEFAULT**

The City may at any time, by written notice to the Contractor, terminate this contract and the Contractor's right to proceed with the work, for just cause, which shall include, but is not limited to the following:

- A. Failure to provide insurance and bonds (when called for), in the exact amounts and within the time specified or any extension thereof.
- B. Failure to make delivery of the supplies, or to perform the services within the time specified herein, or any extension thereof.
- C. The unauthorized substitution of articles for those bid and specified.
- D. Failure to make progress if such failure endangers performance of the contract in accordance with its terms.
- E. Failure to perform in compliance with any provision of the contract.
- F. **Standard of Performance** Contractor guarantees the performance of the commodities, goods or services rendered herein in accordance with the accepted standards of the industry or industries concerned herein, except that if this specification calls for higher standards, then such higher standards shall be provided.

Upon notice by the City of Contractor's failure to comply with such standards or to otherwise be in default of this contract in any manner following the Notice to Proceed, Contractor shall immediately remedy said defective performance in a manner acceptable to the City. Should Contractor fail to immediately correct said defective performance, said failure shall be considered a breach of this contract and grounds for termination of the same by the City.

In the event of any breach of this contract by Contractor, Contractor shall pay any cost to the City caused by said breach including but not limited to the replacement cost of such goods or services with another Contractor.

The City reserves the right to withhold any or all payments until any defects in performance have been satisfactorily corrected.

Bid Reference #: 89028-001.0

#### **DEFAULT** (cont.)

In the event the Contractor is in breach of this contract in any manner, and such breach has not been satisfactorily corrected, the City may bar the Contractor from being awarded any future City contracts.

G. All remedies available to the City herein are cumulative and the election of one remedy by the City shall not be a waiver of any other remedy available to the City either listed in this contract or available by operation of law.

#### 12. TERMINATION OF CONTRACT

The City may, at any time and without cause, suspend the work of this contract for a period of not more than ninety days after providing notice in writing to the Contractor. The Contractor shall be allowed an adjustment in the contract price or an extension of the contract times, or both, directly attributable to the suspension if Contractor makes an approved claim.

The City may, without prejudice to any other right or remedy of the City, and with or without cause, terminate the contract by giving seven days written notice to the Contractor. In such case the Contractor shall be paid, without duplication, for the following items:

- A. Completed and acceptable work executed in accordance with the contract documents prior to the effective date of termination, including fair and reasonable sums for overhead and profit on such work;
- B. Expenses sustained prior to the effective date of termination in performing services and furnishing labor, materials or equipment as required by the contract documents in connection with uncompleted work, plus fair and reasonable sums for overhead and profit on such expenses;
- C. All documented claims, costs, losses and damages incurred in settlement of terminated contracts with Subcontractors, Suppliers and others; and
- D. Reasonable expenses directly attributable to termination.

The Contractor shall not be paid on account of loss of anticipated profits or revenue or other economic loss arising out of or resulting from such termination.

#### 13. INDEPENDENT CONTRACTOR

At all times, the Contractor, any of his/her employees, or his/her sub-contractors and their subsequent employees shall be considered independent contractors and not as City employees. The Contractor shall exercise all supervisory control and general control over all workers' duties, payment of wages to Contractor's employees and the right to hire, fire and discipline their employees and workers. As an independent contractor, payment under this contract shall not be subject to any withholding for tax, social security or other purposes, nor shall the Contractor or his/her employees be entitled to sick leave, pension benefit, vacation, medical benefits, life insurance or workers' unemployment compensation or the like.

Bid Reference #: 89028-001.0

#### 14. **MEETINGS**

The Contractor and/or Project Supervisor shall be available to meet with the Department Head or Project Manager at a mutually agreeable time to discuss problems, issues or concerns relative to the contract. Either party may call a meeting at any time. When such a request for a meeting is made, the meeting date shall, in no case exceed five (5) working days after the request; and, if in the sole opinion of the Department Head, the severity of the circumstance warrants, no more than one (1) working day.

#### 15. INSPECTION OF WORK SITE

Before submitting bids or quotes for work, the Contractor shall be responsible for examining the work site and satisfying himself/herself as to the existing conditions under which he/she will be obligated to operate, or that in any way affects the work under this contract. No allowance shall be made subsequently, in behalf of the Contractor, for any negligence on his/her part.

#### 16. CONTRACT PERIOD, EXTENSIONS, CANCELLATION

- A. The contract shall be in effect for the term stated in the specifications.
- B. The City may opt to extend this contract upon mutual agreement of both parties. The number of extensions shall be limited to that stated in the specifications.
- C. The City may, from time to time, find it necessary to continue this contract on a month-to-month basis only, not to exceed a six (6) month period. Such month-to-month extended periods shall be by mutual agreement of both parties, with all provisions of the original contract or any extension thereof remaining in full force and effect.
- D. All contracts, extensions and cost increases are subject to availability of funds and the approval of the City Commission (if required).
- E. The City reserves the right to cancel the contract due to non-appropriation of funds by the City with thirty (30) days written notice.
- F. Either party may terminate the contract (or any extension thereof) without cause at the end of any twelve (12) month term by giving written notice of such intent at least 60 days prior to the end of said twelve (12) month term.
- G. All notices are in effect commencing with the date of mailing. Written notices may be delivered in person or sent by First Class mail; faxed or emailed to the last known address.
- H. If cancellation is for default of contract due to non-performance, the contract may be canceled at any time (see Item 11, DEFAULT)

# APPENDIX A NON-DISCRIMINATION CLAUSE FOR ALL CITY OF KALAMAZOO CONTRACTS

The Contractor agrees to comply with the Federal Civil Rights Act of 1964 as amended; the Federal Civil Rights Act of 1991 as amended; the Americans With Disabilities Act of 1990 as amended; the Elliott-Larson Civil Rights Act, Act. No. 453, Public Act of 1976 as amended; the Michigan Handicappers Civil Rights Act, Act No. 220, Public Act of 1976 as amended, City Ordinance 1856 and all other applicable Federal and State laws. The Contractor agrees as follows:

- 1. The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, national origin, sex, age, height, weight, marital status, physical or mental disability, family status, sexual orientation or gender identity that is unrelated to the individual's ability to perform the duties of the particular job or position. Such action shall include, but not be limited to the following: employment, upgrading, demotion or transfer, recruitment advertising, layoff or termination; rates of pay or other forms of compensations; and selection for training, including apprenticeship.
- 2. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, national origin, sex, age, height, weight, marital status, physical or mental disability family status, sexual orientation or gender identity that is unrelated to the individual's ability to perform the duties of the particular job or position.
- 3. If requested by the City, the Contractor shall furnish information regarding practices, policies and programs and employment statistics for the Contractor and subcontractors. The Contractor and subcontractors shall permit access to all books, records and accounts regarding employment practices by agents and representatives of the City duly charged with investigative duties to assure compliance with this clause.
- 4. Breach of the covenants herein may be regarded as a material breach of the contract or purchasing agreement as provided in the Elliott-Larsen Civil Rights Act and City Ordinance 1856.
- 5. The Contractor will include or incorporate by reference the provisions of the foregoing paragraphs 1 through 4 in every subcontract or purchase order unless exempted by the rules, regulations or orders of the Michigan Civil Rights Commission\* and will provide in every subcontract or purchase order that said provision will be binding upon each subcontractor or seller.
- 6. The Contractor will not preclude a person with a criminal conviction from being considered for employment unless otherwise precluded by federal or state law. (for contracts over \$25,000)

The Elliott-Larson Civil Rights Act, Sec. 202 of Act. No. 453 of 1976 reads in part as follows:

Sec. 202. (1) An employer shall not:

- (a) Fail or refuse to hire, or recruit, or discharge or otherwise discriminate against an individual with respect to employment, compensation, or a term condition or privilege of employment because of religion, race, color, national origin, age, sex, height, weight or marital status.
- (b) Limit, segregate or classify an employee or applicant for employment in a way which deprives or tends to deprive the employee or applicant of an employment opportunity or otherwise adversely affects the status of an employee or applicant because of religion, race, color, national origin, age, sex, height, weight or marital status.
- (c) Segregate, classify or otherwise discriminate against a person on the basis of sex with respect to a term, condition or privilege of employment, including a benefit plan or system.

<sup>\*</sup> Except for contracts entered into with parties employing less than three employees. 1-2010

# APPENDIX B SPECIFICATIONS



# THE CITY OF KALAMAZOO DEPARTMENT OF PUBLIC SERVICES

# **SPECIFICATIONS SHEET**

# TERTIARY CHEMICAL VALVES

Bid Reference #: 89028-001.0



# ASAHI/AMERICA **SERIES 19 ELECTRIC ACTUATORS**

**CAV Com Pack® Electric Actuators & SAV Smart Pack® Electric Actuators** 







# SERIES 19 FAMILY OF SMART ELECTRIC ACTUATORS





The Series 19 family of smart electric actuators by Asahi/America packs a variety of standard features into a compact, lightweight and corrosion resistant package that is perfect for OEMs, skid manufacturers and general use locations. Available in on/off, modulating, failsafe, and modulating failsafe configurations, and three powerful sizes, the Series 19 coupled with an Asahi/America ball or butterfly valve offers longevity, reliability and precise control for your application. All actuators are factory-mounted and tested to ensure dependable operation.



The Series 19 CAV Com Pack® is available as an on/off or failsafe unit that mounts on Asahi/America Type-27 Omni® ball valves, Type-21/21a ball valves, and Type-23 Multiport® ball valves to provide smooth operation in a compact and lightweight package.



The Series 19 SAV Smart Pack® is smart unit that is available as an on/off, failsafe, modulating, or modulating failsafe unit and mounts on Asahi/America Type-21/21a and Type-21a SST ball valves, Type 23 Multiport® ball valves, and Type-57 series butterfly valves.

#### Series 19 Actuator Size Selection Chart

Valve	Valve Size	C20	S20	S50	S110
Type-27 Omni® Ball Valves	3/8" - 2"	X			
	1/2"-2"	Χ	Х		
Type-21/21a SST Ball Valves	2-1/2" - 3"			Х	
Dan Yantos	4"				Х
T 00	1/2"-2"	Х	Х		
Type-23 Multiport® Valves	3"			Х	
Widisport Valves	4"				Х
	1-1/2" - 2-1/2"		Х		
Type-57P Butterfly Valves	3" - 4"			Х	
,	5" - 6"				Х

# **SERIES 19 VALVE/ACTUATOR PACKAGES**

#### SERIES 19 CAV COM PACK® ELECTRIC ACTUATORS

Series 19 CAV Com Pack® electric actuators can be factory-mounted on Type-27 Omni® ball valves, Type-21/21a ball valves and Type-23 Multiport® ball valves. Choose from PVC or CPVC valves shipped with either socket or threaded end connectors. The Com Pack® is available as an on/off actuator or failsafe only. Type-27 Omni® ball valves are only available with on/off Series 19 CAV electric actuator models.





Type-27 Omni<sup>®</sup> Ball Valves Sizes: 3/8" - 2"



Type-21/21a Ball Valves Sizes: 1/2" - 2"



Type-23 Multiport® Ball Valves Sizes: 1/2" - 2"



#### SERIES 19 SAV SMART PACK® ELECTRIC ACTUATORS

Series 19 SAV Smart Pack® electric actuators can be factory-mounted on Type-21/21a and Type-21a SST ball valves, Type-23 Multiport® ball valves and Type-57 series butterfly valves. Choose from PVC, CPVC, PP, and PVDF valve bodies, and socket or threaded end connectors (ball valves). One part number for valve and actuator packages makes ordering easy. All actuated Smart Packs® are available in the four different models: on/off, modulating, failsafe, and modulating failsafe.



Type-21/21a SST True Union Ball Valves Sizes: 1/2" - 4"



Type-23 Multiport® Ball Valves Sizes: 1/2" - 4"




Type-57 Series Butterfly Valves Sizes: 1-1/2" - 6"



For wiring diagrams and other technical documents, please visit our website.

## SERIES 19 COMPACT & SMART ON/OFF



An on/off Series 19 electric actuator provides maintenance- and trouble-free operation in an on/off application. For wiring diagrams and other technical documents, please visit our website.

# PECIFICATIONS CAV ON/OFF

C20 for 3/8" - 2" Omni® Type-27 Sizes:

ball valves

Torque: 177 in-lbs

Voltage: 95 VAC to 265 VAC multi-voltage

Amp Draw: 0.18 Amp

NEMA 4X cable gland with **Electrical Connection:** 

two-meter color-coded cable

Max Ambient Temp: 150° F

Cycle Time: Per 90 degrees: 10 seconds

**Enclosure:** NEMA 4X

Option: Failsafe (datasheets available online)

# **EATURES AND BENEFITS**

- Compact: Compact and lightweight actuated valve package that is ideal for OEMs
- Motor: Reversing, brushless DC motor
- Multi-voltage: 95 VAC to 265 VAC or 24 VAC/VDC
- Gear Train: Permanently lubricated solid gears
- Corrosion Resistant Enclosure: NEMA 4X ABS enclosure with stainless steel trim
- Position Indication: Highly visible dome position indicator
- **LED Position Indication:** RED closed, GREEN open
- Manual Override: Manually cycle valve via electroless nickel-plated hex key
- Auxiliary Contacts: Open and closed dry contacts rated 0.1 Amp @ 250 VAC, 0.5 Amp @ 30 VDC
- Space Heater: A two-watt heater is internally wired to limit condensation
- QR Code: Links to user manual; includes wiring schematic

# PECIFICATIONS SAV ON/OFF

Sizes: S20, S50, S110 Torque: 177 in-lbs to 973 in-lbs Voltage: 95 VAC to 265 VAC 1 Ph

50/60 Hz

0.18 Amp for S20; 0.24 Amp for Amp Draw:

S50; 0.84 Amp for S110

**Electrical Connection:** NEMA 4X cable gland with two-meter color-coded cable

150° F

Max Ambient Temp:

Cycle Time: Per 90 degrees: 10 seconds

**Enclosure:** NEMA 4X

# **EATURES AND BENEFITS**

- Compact: Perfect for OEM and skid manufacturers with a footprint of 2.75" x 4" up to a 2" ball valve
- OLED Screen: Displays valve position, alarms (such as an over torque condition)
- Push Buttons: Used to calibrate/adjust end positions and operate local controls
- Multi-voltage: 95 VAC to 265 VAC or 24 VAC/VDC
- Position Indication: Highly visible beacon position indicator
- LED Position Indication: RED closed, GREEN open, BLUE
- Manual Override: Manually cycle valve via electroless nickle-plated hex key
- Auxiliary contacts: Open and closed dry contacts rated 0.1 Amp @ 250 VAC, 0.5 Amp @ 30 VDC
- Space Heater: Internally wired to limit condensation
- QR Code: Links to user manual; includes wiring schematic

#### **SERIES 19 SMART FAILSAFE**

# SPECIFICATIONS

 Sizes:
 \$20FS, \$50FS, \$110FS

 Torque:
 177 in-lbs to 973 in-lbs

**Voltage:** 95 VAC to 265 VAC 1 Ph 50/60 Hz

Amp Draw: 0.18 Amp for S20

0.24 Amp for S50 0.90 Amp for S110

Electrical Connection: NEMA 4X cable gland with two-meter

color-coded cable

Max Ambient Temp: 150° F

**Cycle Time:** Per 90 degrees: 10 seconds

Enclosure: NEMA 4X



A failsafe actuator cycles as on/off while charging internal capacitors. When power is lost, the capacitors discharge and power the unit to a predetermined fail position. When power is restored, the capacitors charge up again. For wiring diagrams and other technical documents, please visit our website.

# EATURES & BENEFITS

- Compact: Perfect for OEM and skid manufacturers
- OLED Screen: Displays valve position and alarms
- Push Buttons: Used to calibrate/adjust end positions and operate local controls
- Multi-voltage: 95 VAC to 265 VAC or 24 VAC/VDC
- Motor: Reversing, brushless DC motor
- Capacitor Discharge System: A capacitor is used in place of batteries for failsafe mode
- Selectable Fail Position: Fail close is standard; fail as is, or fail open are options
- Corrosion Resistant Enclosure: NEMA 4X ABS enclosure with stainless steel trim
- Electrical Connection: NEMA 4X cable gland with two-meter cable length
- LED Position Indication: RED closed, GREEN open, BLUE fault
- Manual Override: Manually cycle valve via electroless nickel-plated hex key
- Auxiliary Contacts: Open and close dry contacts rated 0.1 Amp @ 250 VAC,
   0.5 Amp @ 30 VDC
- Alarm Contacts: Dry contacts rated 0.1 Amp @ 250 VAC, 0.5 Amp @ 30 VDC for alarm status (over torque, as an example)
- Space Heater: Internally wired to limit condensation
- CE Compliant: All actuators are CE labeled and compliant
- **75**% **Duty Cycle:** Ideal for high cycling applications
- Output Torque: Series 19 electric actuators have an output torque range from 177 in-lbs to 442 in-lbs
- Simple Wiring: Wiring technique is the same for all voltage units
- Local Controls: Used with OLED and push buttons, a user can locally open or close units via password
- QR Code: Links to user manual; includes wiring schematic





### **SERIES 19 SMART MODULATING**



# **S**PECIFICATIONS

**Sizes:** S20, S50, S110 **Torque:** 177 in-lbs to 973 in-lbs

**Voltage:** 95 VAC to 265 VAC 1Ph 50/60 Hz

Amp Draw: 0.18 Amp for S20

0.24 Amp for S50 0.84 Amp for S110

Electrical Connection: NEMA 4X cable gland with two-meter

color-coded cable

Max Ambient Temp: 150° F

Cycle Time: Per 90 degrees: 10 seconds

Enclosure: NEMA 4X

Series 19 modulating actuators provide precise flow for your process line or system. The actuators use voltage or current control signals to accurately modulate the valve to the required position, while simultaneously providing voltage or current position feedback. For wiring diagrams and other technical documents, please visit our website.

# EATURES & BENEFITS

- **Compact:** Perfect for OEM and skid manufacturers with a footprint of 2.75" x 4" up to a 2" ball valve
- OLED Screen: Displays input command, position status, alert conditions
- Push Buttons: Used to calibrate/adjust end positions and operate local controls
- Multi-voltage: 95 VAC to 265 VAC or 24 VAC/VDC
- Motor: Reversing, brushless DC motor
- Gear Train: Permanently lubricated steel gears
- Corrosion Resistant Enclosure: NEMA 4X ABS enclosure with stainless steel trim
- **ISO** mounting configuration
- Electrical Connection: NEMA 4X cable gland with two-meter cable length
- Position Indication: Highly visible beacon position indicator
- LED Fault: BLUE
- Manual Override: Manually cycle valve via electroless nickel-plated hex key
- Selectable Control Signal: User can select 4-20 mA, 0-20 mA, 0-10 VDC, 2-10 VDC, or 1-5 VDC (size 20 is specifically a current control signal or a voltage control signal)
- Reverse Acting: User can select standard operation or reverse acting
- Selectable Fail Position: If control signal is lost, the unit can be calibrated to fail as is, fail open, or fail close
- Transmitter: Current or voltage transmitter (matching the control signal) is standard equipment
- Alarm Contacts: Dry contacts rates 0.1 Amp @ 250 VAC, 0.5 Amp @ 30 VDC for alarm status (over torque, as an example)
- Space Heater: Internally wired to limit condensation
- QR Code: Links to user manual; includes wiring schematic



# **SERIES 19 SMART MODULATING FAILSAFE**

# **S**PECIFICATIONS

**Sizes:** S20, S50, S110

**Torque:** 177 in-lbs to 973 in-lbs

**Voltage:** 95 VAC to 265 VAC 1Ph 50/60 Hz

Amp Draw: 0.18 Amp for S20

0.24 Amp for S50 0.90 Amp for S110

Electrical Connection: NEMA 4X cable gland with two-meter

color-coded cable

Max Ambient Temp: 150° F

Cycle Time: Per 90 degrees: 10 seconds

Enclosure: NEMA 4X



The Series 19 modulating failsafe combines the features of a modulating unit with the reliability of a failsafe unit. With all of the same features of the modulating unit, the modulating failsafe employs a capacitor discharge design for the failsafe ability. When the power supply is lost, the failsafe system will cycle the valve to a predetermined position (open, closed, or as is). For wiring diagrams and other technical documents, please visit our website.

# EATURES & BENEFITS

- **Compact:** Perfect for OEM and skid manufacturers with a footprint of 2.75" x 4" up to a 2" ball valve
- OLED Screen: Displays input command, position status, alert conditions
- Push Buttons: Used to calibrate/adjust end positions and operate local controls
- Multi-voltage: 95 VAC to 265 VAC or 24 VAC/VDC
- Motor: Reversing, brushless DC motor
- Gear Train: Permanently lubricated steel gears
- Corrosion Resistant Enclosure: NEMA 4X ABS enclosure with stainless steel trim
- **ISO** mounting configuration
- Electrical Connection: NEMA 4X cable gland with two-meter cable length
- Position Indication: Highly visible beacon position indicator
- LED Fault: BLUE
- Manual Override: Manually cycle valve via electroless nickel-plated hex key
- Selectable Control Signal: User can select 4-20 mA, 0-20 mA, 0-10 VDC, 2-10 VDC, or 1-5 VDC (size 20 is specifically a current control signal or a voltage control signal)
- Reverse Acting: User can select standard operation or reverse acting
- Selectable Fail Position: If control signal is lost, the unit can be calibrated to fail as is, fail open, or fail close
- Transmitter: Current or voltage transmitter (matching the control signal) is standard equipment
- Capacitor Discharge System: A capacitor is used in place of batteries for failsafe mode
- QR Code: Links to user manual; includes wiring schematic







# Another Corrosion Problem Solved.

655 ANDOVER STREET LAWRENCE, MA 01843

DIRECT SALES EAST: 800-232-7244 CENTRAL: 800-442-7244 WEST: 800-282-7244