



MANAGEMENT SERVICES DEPARTMENT
PURCHASING DIVISION
241 W. South Street
Kalamazoo, Michigan 49007-4796
Telephone (269) 337-8020
FAX (269) 337-8500
cokpurchasing@kalamazoo.org

ADDENDUM #1
April 8, 2024

TO: All Perspective Bidders

PROJECT NAME: Streets for All: Michikal Street Improvements - REBID

BID REFERENCE #: 91396-021.0

BID DUE/OPENING DATE: April 16, 2024 at 3:30 p.m. Local Time
Facsimile Bids Will Not Be Accepted.

The purpose of this addendum is to clarify and/or modify Specifications for this project. All work affected is subject to all applicable terms and conditions of the Bidding and Contract Documents.

- 1. REVISED: Section II – Bid and Award - Changes in RED - PLEASE USE THE ATTACHED REVISED SECTION II - BID AND AWARD PAGE 3 - 10 – WHEN SUBMITTING BIDS FOR THIS PROJECT – See Attachment A**
- 2. QUESTION 1:** How are the endings of the proposed storm sewer in Alternate A to be addressed?
ANSWER 1: In Alternate A, the endings of part-width constructed storm sewers as shown on the plans will be temporarily bulkheaded. This work is included in the unit prices for related pay items according to Section 402.04.D of the MDOT Standard Specifications for Construction.
- 3. QUESTION 2:** Do separate progress schedules need to be submitted for the Base Bid and Alternate A?
ANSWER 2: Unique progress schedules are not required for the Base Bid and Alternate A but are acceptable. A single progress schedule that addresses controlling items of work for the Base Bid and Alternate A will also be acceptable.

Questions related to this addendum may be addressed to Anthony Ladd, Assistant Director – Public Works Division, ladda@kalamazoocity.org.

The Addendum can be viewed and downloaded from the City’s website at <https://www.kalamazoocity.org/bidopportunities>.

In order for a bid to be responsive, this signed and dated addendum must be returned with your bid. If you have already submitted your bid, acknowledge receipt and acceptance of this addendum by signing in the place provided and returning it to the undersigned and it shall be incorporated in your bid. Please identify your return envelope with the bid reference number and project description.

Sincerely,



Michelle Emig
Purchasing Division Manager
c: Anthony Ladd, Public Works
Prevailing Wage File

FIRM: _____

SIGNED: _____

NAME: _____

DATE: _____

(Type or Print)



ADDENDUM #1
Attachment A
Revised Bid & Award (Page 3-10)

Bid Ref#91396-021.0
Streets for All: Michikal Street Improvements - REBID

REVISED
SECTION II
BID AND AWARD

The undersigned having become thoroughly familiar with all of the bid/contract documents incorporated herein, the project site and the location conditions affecting the work, hereby proposes to perform everything required to be performed in strict conformity with the requirements of these documents, and to provide and furnish all the equipment, labor and materials necessary to complete in a professional manner the furnishing and installing of all of the following, meeting or exceeding the specifications as set forth herein for the prices as stated below.

STREETS FOR ALL: MICHIKAL STREET IMPROVEMENTS BASE BID

#	ITEM	QTY	UNIT	UNIT PRICE	EXTENDED PRICE
1	Mobilization, Max \$180,000	LSUM	1		
2	Tree, Rem, 19 inch to 36 inch	EA	10		
3	Tree, Rem, 37 inch or Larger	EA	2		
4	Tree, Rem, 6 inch to 18 inch	EA	24		
5	Dr Structure, Rem	EA	18		
6	Sewer, Rem, Less than 24 inch	FT	850		
7	Curb and Gutter, Rem	FT	4,500		
8	Fence, Rem	FT	1,055		
9	Guardrail, Rem	FT	90		
10	Masonry and Conc Structure, Rem	CYD	50		
11	Sidewalk, Rem	SYD	285		
12	Exploratory Investigation, Vertical	FT	10		
13	Pavt, Rem, Modified	SYD	6,450		
14	Subgrade Undercutting, Type II	CYD	1,000		
15	Machine Grading, Modified	STA	14		
16	Erosion Control, Inlet Protection, Fabric Drop	EA	57		
17	Erosion Control, Silt Fence	FT	500		
18	Subbase, CIP	CYD	3,080		
19	Aggregate Base, 8 Inch, Modified	SYD	7,910		
20	Maintenance Gravel, LM	CYD	1,000		
21	Sewer, Cl E, 12 inch, Tr Det B	FT	1,355		
22	Sewer, Cl E, 15 inch, Tr Det B	FT	20		
23	Sewer Tap, 6 inch	EA	1		
24	Sewer Tap, 12 inch	EA	4		
25	Sewer Tap, 15 inch	EA	2		
26	Dr Structure Cover, Adj, Case 2	EA	3		
27	Dr Structure Cover, Type D	EA	2		
28	Dr Structure Cover, Type G	EA	1		
29	Dr Structure Cover, Type K	EA	21		
30	Dr Structure, 24 inch dia	EA	8		
31	Dr Structure, 48 inch dia	EA	13		
32	Dr Structure, 60 inch dia	EA	1		
33	Dr Structure, Adj, Add Depth	FT	10		
34	Dr Structure, Tap, 12 inch	EA	1		

35	Dr Structure Cover, Adj, Case 1, Modified	EA	6		
36	Dr Structure Cover, Type B, Modified	EA	4		
37	Dr Structure Cover, Type Q, Modified	EA	6		
38	HMA Surface, Rem	SYD	3,615		
39	Hand Patching	TON	50		
40	HMA Approach	TON	20		
41	HMA, 3EML	TON	1,230		
42	HMA, 4EML	TON	920		
43	HMA, 5EML	TON	635		
44	Conc Base Cse, Nonreinf, 6 inch	SYD	5		
45	Conc Pavt, Decorative, Nonreinf, 4 inch	SYD	20		
46	Driveway, Nonreinf Conc, 6 inch	SYD	10		
47	Curb and Gutter, Conc, Det C4	FT	2,700		
48	Curb and Gutter, Conc, Det F2	FT	170		
49	Detectable Warning Surface	FT	135		
50	Curb Ramp Opening, Conc	FT	165		
51	Sidewalk, Conc, 4 inch	SFT	8,765		
52	Sidewalk, Conc, 6 inch	SFT	180		
53	Curb Ramp, Conc, 6 inch	SFT	1,380		
54	Curb Slp, HMA	FT	525		
55	Shared use Path, Conc	SYD	1,485		
56	Shared use Path, Grading	FT	1,330		
57	Perforated Steel Square Tube Breakaway System	EA	2		
58	Post, Steel, 3 pound	FT	500		
59	Sign, Type III, Rem	EA	24		
60	Sign, Type IIIA	SFT	90		
61	Sign, Type IIIB	SFT	150		
62	Sign, Type IIIC	SFT	20		
63	Post, Flexible Delineator, Surface Mtd, 36 Inch	EA	40		
64	Sign, Type III, Perimeter Lighted, W11-2 (LED)	EA	4		
65	Pavt Mrkg, Waterborne, 6 inch, White	FT	2,050		
66	Pavt Mrkg, Waterborne, 6 inch, Yellow	FT	2,900		
67	Rem Spec Mrkg	SFT	40		
68	Pavt Mrkg, Waterborne, For On-Street Parking, 4 inch, White	FT	640		
69	Pavt Mrkg, Waterborne, 12 inch, Cross Hatching, White	FT	470		
70	Pavt Mrkg, Waterborne, 12 inch, Cross Hatching, Yellow	FT	230		
71	Pavt Mrkg, Waterborne, 12 inch, Yellow, Curb Painting	FT	70		
72	Pavt Mrkg, Waterborne, 24 inch, Stop Bar	FT	85		
73	Pavt Mrkg, Waterborne, Accessible Sym	EA	2		
74	Pavt Mrkg, Waterborne, Ped	EA	5		
75	Pavt Mrkg, Waterborne, Xing	EA	5		
76	Barricade, Type III, High Intensity, Double Sided, Lighted, Furn	EA	25		
77	Barricade, Type III, High Intensity, Double Sided, Lighted, Oper	EA	25		
78	Pedestrian Type II Barricade, Temp	EA	10		
79	Channelizing Device, 42 inch, Fluorescent, Furn	EA	100		
80	Channelizing Device, 42 inch, Fluorescent, Oper	EA	100		

81	Conc Barrier Ending, Temp, Det 2, Furn	EA	2		
82	Conc Barrier Ending, Temp, Det 2, Oper	EA	2		
83	Conc Barrier, Temp, Furn	FT	130		
84	Conc Barrier, Temp, Oper	FT	130		
85	Delineator, Flexible, Temp, Furn	EA	30		
86	Delineator, Flexible, Temp, Oper	EA	30		
87	High Intensity Light, Type B, Furn	EA	7		
88	High Intensity Light, Type B, Oper	EA	7		
89	Lighted Arrow, Type C, Furn	EA	2		
90	Lighted Arrow, Type C, Oper	EA	2		
91	Minor Traf Devices	LSUM	1		
92	Pavt Mrkg, Longit, 6 inch or Less Width, Rem	FT	350		
93	Pavt Mrkg, Type NR, Paint, 24 inch, Stop Bar	FT	10		
94	Pavt Mrkg, Type NR, Paint, Lt Turn Arrow	EA	4		
95	Pavt Mrkg, Type NR, Paint, Rt Turn Arrow	EA	1		
96	Pavt Mrkg, Type NR, Paint, Thru Arrow	EA	1		
97	Pavt Mrkg, Wet Reflective, Type NR, Paint, 4 inch, White, Temp	FT	100		
98	Pavt Mrkg, Wet Reflective, Type NR, Paint, 4 inch, Yellow, Temp	FT	100		
99	Pavt Mrkg, Wet Reflective, Type R, Tape, 4 inch, White, Temp	FT	100		
100	Pavt Mrkg, Wet Reflective, Type R, Tape, 4 inch, Yellow, Temp	FT	100		
101	Plastic Drum, Fluorescent, Furn	EA	35		
102	Plastic Drum, Fluorescent, Oper	EA	35		
103	Sign Cover	EA	10		
104	Sign, Portable, Changeable Message, Furn	EA	4		
105	Sign, Portable, Changeable Message, Oper	EA	4		
106	Sign, Type B, Temp, Prismatic, Furn	SFT	1,125		
107	Sign, Type B, Temp, Prismatic, Oper	SFT	1,125		
108	Sign, Type B, Temp, Prismatic, Spec, Furn	SFT	200		
109	Sign, Type B, Temp, Prismatic, Spec, Oper	SFT	200		
110	Site Preparation, Max	LSUM	1		
111	Watering and Cultivating, First Season, Min	LSUM	1		
112	Amelanchier canadensis, clump form, 10 foot	EA	3		
113	Celtis occidentalis 'Chicagoland', 4 inch	EA	3		
114	Cornus kousa, clump form, 10 foot	EA	3		
115	Corylus colurna, 4 inch	EA	3		
116	Ginkgo bilboa 'Autumn Gold', 4 inch	EA	6		
117	Ginkgo bilboa 'Princeton Sentry', 4 inch	EA	3		
118	Heptacodium miconioides 'Temple of Bloom', clump form, 10 foot	EA	8		
119	Liriodendron tulipifera, 4 inch	EA	2		
120	Picea glauca 'Densata', 10 foot	EA	5		
121	Pinus strobus, 10 foot	EA	7		
122	Platanus acerifolia 'Morton Circle', 4 inch	EA	3		
123	Quercus Alba, 4 inch	EA	4		
124	Quercus muehlenbergii, 4 inch	EA	3		
125	Tilia americana 'Redmond', 4 inch	EA	8		
126	Ulmus americana 'Valley Forge', 4 inch	EA	3		

127	Slope Restoration, Non-Freeway, Type B	SYD	8,600		
128	Power Company (Estimated Cost to Contractor)	DLR	1,000		
129	Conduit, DB, 1, 1 1/2 inch	FT	65		
130	Conduit, DB, 1, 3 inch	FT	1,300		
131	Cable, Sec, 600V, 1, 3/C#6	FT	200		
132	Hh, Polymer Conc	EA	2		
133	Hh, Round	EA	2		
134	Hh, Round, 3 foot dia	EA	3		
135	Conduit, 1 1/4 inch, innerduct	FT	1,245		
136	Conduit, DB, 1, 2 inch	FT	2,320		
137	Light Std Arm, Rem	EA	1		
138	Light Std Fdn, Rem	EA	1		
139	Light Std Shaft, Rem	EA	1		
140	Pedestal, Alum	EA	3		
141	Pedestal, Fdn	EA	3		
142	Pushbutton	EA	3		
143	TS, Span Wire Mtd, Rem	EA	3		
144	TS Head, Adj	EA	1		
145	TS Head, Temp	EA	1		
146	TS Face, Bag	EA	3		
147	TS Face, Bag, Rem	EA	3		
148	Gate Box Adj, Case 2	EA	1		
149	Gate Box, Adj, Case 1, Modified	EA	1		
150	Water Shutoff, Adj, Case 1, Modified	EA	1		
151	Water Shutoff, Adj, Case 2	EA	1		
BASE BID GRAND TOTAL				\$	

STREETS FOR ALL: MICHIKAL STREET IMPROVEMENTS ALTERNATE A

#	ITEM	QTY	UNIT	UNIT PRICE	EXTENDED PRICE
1	Mobilization, Max \$150,000	LSUM	1		
2	Tree, Rem, 19 inch to 36 inch	EA	10		
3	Tree, Rem, 37 inch or Larger	EA	2		
4	Tree, Rem, 6 inch to 18 inch	EA	24		
5	Dr Structure, Rem	EA	18		
6	Sewer, Rem, Less than 24 inch	FT	850		
7	Curb and Gutter, Rem	FT	4,500		
8	Fence, Rem	FT	1,055		
9	Guardrail, Rem	FT	90		
10	Masonry and Conc Structure, Rem	CYD	50		
11	Sidewalk, Rem	SYD	285		
12	Exploratory Investigation, Vertical	FT	10		
13	Pavt, Rem, Modified	SYD	6,450		
14	Subgrade Undercutting, Type II	CYD	1,000		
15	Machine Grading, Modified	STA	14		
16	Erosion Control, Inlet Protection, Fabric Drop	EA	57		
17	Erosion Control, Silt Fence	FT	500		
18	Subbase, CIP	CYD	2,520		
19	Aggregate Base, 8 Inch, Modified	SYD	6,190		
20	Maintenance Gravel, LM	CYD	1,000		
21	Shld, Cl II, 6 inch	SYD	340		
22	Sewer, Cl E, 12 inch, Tr Det B	FT	1,235		
23	Sewer, Cl E, 15 inch, Tr Det B	FT	20		
24	Sewer Tap, 6 inch	EA	1		
25	Sewer Tap, 12 inch	EA	4		
26	Sewer Tap, 15 inch	EA	2		
27	Dr Structure Cover, Adj, Case 2	EA	4		
28	Dr Structure Cover, Type D	EA	2		
29	Dr Structure Cover, Type G	EA	2		
30	Dr Structure Cover, Type K	EA	14		
31	Dr Structure, 24 inch dia	EA	3		
32	Dr Structure, 48 inch dia	EA	13		
33	Dr Structure, 60 inch dia	EA	1		
34	Dr Structure, Adj, Add Depth	FT	10		
35	Dr Structure, Tap, 12 inch	EA	1		
36	Dr Structure Cover, Adj, Case 1, Modified	EA	5		
37	Dr Structure Cover, Type B, Modified	EA	5		
38	Dr Structure Cover, Type Q, Modified	EA	6		
39	HMA Surface, Rem	SYD	3,615		
40	Hand Patching	TON	50		
41	HMA Approach	TON	20		
42	HMA, 3EML	TON	875		

43	HMA, 4EML	TON	715		
44	HMA, 5EML	TON	470		
45	Conc Base Cse, Nonreinf, 6 inch	SYD	5		
46	Curb and Gutter, Conc, Det C4	FT	1515		
47	Curb and Gutter, Conc, Det F2	FT	105		
48	Detectable Warning Surface	FT	50		
49	Curb Ramp Opening, Conc	FT	45		
50	Sidewalk, Conc, 4 inch	SFT	590		
51	Sidewalk, Conc, 6 inch	SFT	50		
52	Curb Ramp, Conc, 6 inch	SFT	695		
53	Curb Slp, HMA	FT	1,175		
54	Shared use Path, Conc	SYD	1,485		
55	Shared use Path, Grading	FT	1,330		
56	Post, Steel, 3 pound	FT	375		
57	Sign, Type III, Rem	EA	24		
58	Sign, Type IIIA	SFT	70		
59	Sign, Type IIIB	SFT	90		
60	Sign, Type IIIC	SFT	15		
61	Post, Flexible Delineator, Surface Mtd, 36 Inch	EA	6		
62	Pavt Mrkg, Waterborne, 6 inch, White	FT	1,900		
63	Rem Spec Mrkg	SFT	40		
64	Pavt Mrkg, Waterborne, 12 inch, Cross Hatching, White	FT	100		
65	Pavt Mrkg, Waterborne, 24 inch, Stop Bar	FT	85		
66	Pavt Mrkg, Waterborne, Ped	EA	2		
67	Pavt Mrkg, Waterborne, Xing	EA	2		
68	Barricade, Type III, High Intensity, Double Sided, Lighted, Furn	EA	20		
69	Barricade, Type III, High Intensity, Double Sided, Lighted, Oper	EA	20		
70	Pedestrian Type II Barricade, Temp	EA	10		
71	Channelizing Device, 42 inch, Fluorescent, Furn	EA	100		
72	Channelizing Device, 42 inch, Fluorescent, Oper	EA	100		
73	Conc Barrier Ending, Temp, Det 2, Furn	EA	2		
74	Conc Barrier Ending, Temp, Det 2, Oper	EA	2		
75	Conc Barrier, Temp, Furn	FT	130		
76	Conc Barrier, Temp, Oper	FT	130		
77	Delineator, Flexible, Temp, Furn	EA	30		
78	Delineator, Flexible, Temp, Oper	EA	30		
79	High Intensity Light, Type B, Furn	EA	7		
80	High Intensity Light, Type B, Oper	EA	7		
81	Lighted Arrow, Type C, Furn	EA	2		
82	Lighted Arrow, Type C, Oper	EA	2		
83	Minor Traf Devices	LSUM	1		
84	Pavt Mrkg, Longit, 6 inch or Less Width, Rem	FT	350		
85	Pavt Mrkg, Type NR, Paint, 24 inch, Stop Bar	FT	10		
86	Pavt Mrkg, Type NR, Paint, Lt Turn Arrow	EA	4		
87	Pavt Mrkg, Type NR, Paint, Rt Turn Arrow	EA	1		
88	Pavt Mrkg, Type NR, Paint, Thru Arrow	EA	1		

89	Pavt Mrkg, Wet Reflective, Type NR, Paint, 4 inch, White, Temp	FT	100		
90	Pavt Mrkg, Wet Reflective, Type NR, Paint, 4 inch, Yellow, Temp	FT	100		
91	Pavt Mrkg, Wet Reflective, Type R, Tape, 4 inch, White, Temp	FT	100		
92	Pavt Mrkg, Wet Reflective, Type R, Tape, 4 inch, Yellow, Temp	FT	100		
93	Plastic Drum, Fluorescent, Furn	EA	35		
94	Plastic Drum, Fluorescent, Oper	EA	35		
95	Sign Cover	EA	10		
96	Sign, Portable, Changeable Message, Furn	EA	4		
97	Sign, Portable, Changeable Message, Oper	EA	4		
98	Sign, Type B, Temp, Prismatic, Furn	SFT	1,125		
99	Sign, Type B, Temp, Prismatic, Oper	SFT	1,125		
100	Sign, Type B, Temp, Prismatic, Spec, Furn	SFT	200		
101	Sign, Type B, Temp, Prismatic, Spec, Oper	SFT	200		
102	Site Preparation, Max	LSUM	1		
103	Watering and Cultivating, First Season, Min	LSUM	1		
104	Amelanchier canadensis, clump form, 10 foot	EA	2		
105	Celtis occidentalis 'Chicagoland', 4 inch	EA	2		
106	Cornus kousa, clump form, 10 foot	EA	3		
107	Corylus columna, 4 inch	EA	2		
108	Ginkgo bilboa 'Autumn Gold', 4 inch	EA	5		
109	Ginkgo bilboa 'Princeton Sentry', 4 inch	EA	3		
110	Heptacodium miconioides 'Temple of Bloom', clump form, 10 foot	EA	8		
111	Liriodendron tulipifera, 4 inch	EA	2		
112	Picea glauca 'Densata', 10 foot	EA	5		
113	Pinus strobus, 10 foot	EA	7		
114	Platanus acerifolia 'Morton Circle', 4 inch	EA	3		
115	Quercus muehlenbergii, 4 inch	EA	1		
116	Tilia americana 'Redmond', 4 inch	EA	5		
117	Slope Restoration, Non-Freeway, Type B	SYD	11,900		
118	Conduit, DB, 1, 1 1/2 inch	FT	35		
119	Conduit, DB, 1, 3 inch	FT	1,300		
120	Hh, Polymer Conc	EA	2		
121	Hh, Round	EA	1		
122	Hh, Round, 3 foot dia	EA	3		
123	Conduit, 1 1/4 inch, innerduct	FT	1,300		
124	Conduit, DB, 1, 2 inch	FT	1,190		
125	Light Std Arm, Rem	EA	1		
126	Light Std Fdn, Rem	EA	1		
127	Light Std Shaft, Rem	EA	1		
128	TS, Span Wire Mtd, Rem	EA	3		
129	TS Head, Adj	EA	1		
130	TS Head, Temp	EA	1		
131	TS Face, Bag	EA	3		
132	TS Face, Bag, Rem	EA	3		
133	Gate Box Adj, Case 2	EA	1		

134	Gate Box, Adj, Case 1, Modified	EA	1		
135	Water Shutoff, Adj, Case 1, Modified	EA	1		
136	Water Shutoff, Adj, Case 2	EA	1		
ALTERNATE A GRAND TOTAL				\$	

Bidder shall provide all of the information as requested herein with their bid. **Failure to do so and/or failure to provide post-bid requested information may be cause for rejecting the bid as non-responsive.**

See the Progress Clause contained in **Appendix C** for project start and completion dates. **A critical path Progress Schedule shall be included with the bid.**

Bidder/Contractor has examined and carefully studied the bidding documents and attachments, and acknowledges receipt of the following addenda:

Addendum No: _____

Dated: _____

The City encourages the use of local labor in fulfilling the requirements of this contract.

This contract shall be governed by the laws of the State of Michigan.

By my signature below, I certify that the firm bidding on this contract, when making hiring decisions, does not use a past criminal conviction as a bar to or preclude a person with a criminal conviction from being considered for employment with the bidding firm unless otherwise precluded by federal or state law. I further certify that I have read and agree to be bound by the provisions of the City’s Non-Discrimination Clause found in Appendix A as updated by City Ordinance 1856.

Signed: _____ Name: _____

Title: _____