



Department of Management Services
Purchasing/Risk Management
241 West South Street
Kalamazoo, MI 49007-4796
Phone: 269.337.8020
Fax: 269.337.8500
www.kalamazoocity.org

VIRTUAL PRE-BID MEETING/INSPECTION on April 5, 2022 @ 11:00 a.m. Local Time
Then proceed to project sites at your own pace, open until 4:00 p.m. Register in advance for this
Zoom meeting: <https://us06web.zoom.us/meeting/register/tZwtD6beVacKHVMhtiNOaNntO7>

INVITATION FOR BID (IFB)

The City of Kalamazoo, Michigan is soliciting sealed bids for:

PROJECT NAME: Demolition of 1 House

BID REFERENCE #: 91240-013.0

IFB ISSUE DATE: March 24, 2022

BID DUE/OPENING DATE: April 19, 2022 @ 3:00 p.m. Local Time
Facsimile Bids Will Not Be Accepted.

MAILING ADDRESS & INSTRUCTIONS

Mail to:

Purchasing/Risk Management
241 West South Street
Kalamazoo, MI 49007

Questions about this IFB should be directed to:

Department Contact: Roger Iveson
Building Official @ (269) 337-8560 or
ivesonr@kalamazoocity.org

Include on the Envelope the Project Name and Bid Reference Number. All Envelopes Must Be Sealed.

You are invited to submit a bid for this project. Specifications, terms, conditions and instructions for submitting bids are contained herein. This Invitation for Bid with all pages, documents and attachments contained herein, or subsequently added to and made a part hereof, submitted as a fully and properly executed bid shall constitute the contract between the City and the successful bidder when approved and accepted on behalf of the City by an authorized official or agent of the City. Please review the bid document as soon as possible and note the **DEADLINE FOR QUESTIONS** in the Instructions to Bidders.

All bidders shall complete and return the Bid and Award page(s) and submit all information requested herein in order for a bid to be responsive. The bid document shall be returned in its entirety, in a properly identified and sealed envelope to the Purchasing/Risk Management Division at the above address. **BIDS MUST BE RECEIVED BEFORE THE DUE DATE - LATE BIDS WILL NOT BE CONSIDERED.** The City reserves the right to postpone the bid opening for its own convenience.

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE #</u>	<u>APPENDICES</u>
Statement of No Bid		Appendix A
I Instructions to Bidders	1	Asbestos Reports
II Bid & Award Pages	2 - 9	
III Special Instructions	10 - 12	
IV Special Requirements & General Conditions	13 - 18	
V Indemnity & Insurance	19 - 20	
VI Terms & Conditions	21 - 24	

STATEMENT OF NO BID

NOTE: If you DO NOT intend to bid on this commodity or service, please complete and return this form immediately. Your response will assist us in evaluating all responses for this important project and to improve our bid solicitation process.

The Purchasing/Risk Management Division of the City of Kalamazoo wishes to keep its bidders list file up to date. If, for any reason you cannot supply the commodity/service noted in this bid solicitation, this form must be completed and returned to remain on the particular bid list for future projects of this type.

If you do not respond to this inquiry within the time set for the bid opening date and time noted, we will assume that you can no longer supply this commodity/service, and your name will be removed from this bid list.

- _____ Specifications too "tight", i.e. geared toward one brand or manufacturer only (explain below).
- _____ Specifications are unclear (explain below).
- _____ We are unable to meet specifications.
- _____ Insufficient time to respond to the Invitation for Bid.
- _____ Our schedule would not permit us to perform.
- _____ We are unable to meet bond requirements.
- _____ We are unable to meet insurance requirements.
- _____ We do not offer this product or service.
- _____ Remove us from your bidders list for this commodity or service.
- _____ Other (specify below).

REMARKS: _____

SIGNED: _____ NAME: _____
(Type or Print)

TITLE: _____ DATE: _____

FIRM NAME: _____
(if any)

ADDRESS: _____
(Street address) (City) (State) (Zip)

PHONE: _____ FAX: _____

EMAIL: _____

**SECTION I
INSTRUCTIONS TO BIDDERS**

1. **EXAMINATION OF BID DOCUMENT**-Before submitting a bid, bidders shall carefully examine the specifications and shall fully inform themselves as to all existing conditions and limitations. The bidder shall indicate in the bid the sum to cover the cost of all items included on the bid form.
2. **PREPARATION OF BID**-The bid shall be legibly prepared in ink or typed. If a unit price or extension already entered by the bidder on the Bid and Award form is to be altered, it shall be crossed out and the new unit price or extension entered above or below and initialed by the bidder with ink. The bid shall be legally signed, and the complete address of the bidder given thereon.

All bids shall be tightly sealed in an envelope plainly marked SEALED BID and identified by project name, bid opening date and time. Bids opened by mistake, due to improper identification, will be so documented and resealed. The Purchasing/Risk Management Division will maintain and guarantee confidentiality of the contents until the specified opening date and time. Bids submitted by Fax machine will not be accepted.

3. **EXPLANATION TO BIDDERS**-Any binding explanation desired by a bidder regarding the meaning or interpretation of the Invitation for Bid (IFB) and attachments must be requested in writing, **at least 5 days before the bid opening** so a reply may reach all prospective bidders prior to the submission of bids. Any information given to a prospective bidder concerning the IFB will be furnished to all prospective bidders as an amendment or addendum to the IFB if such information would be prejudicial to uninformed bidders. Receipt of amendments or addenda by a bidder must be acknowledged in the bid by attachment, or by letter or fax received before the time set for opening of bids. Oral explanation or instructions given prior to the opening will not be binding.
4. **CASH DISCOUNTS**-Discount offered for payment of less than thirty (30) days will not be considered in evaluating bids for award. Offered discounts of less than thirty (30) days will be taken if payment is made within the discount period, even though not considered in evaluation of the bid.
5. **WITHDRAWAL OF BIDS**-Bids may be withdrawn in person by a bidder or authorized representative, provided their identity is made known and a receipt is signed for the bid, but only if the withdrawal is made prior to the exact time set for receipt of bid. No bid may be withdrawn for at least sixty (60) days after bid opening.
6. **ALTERNATE BIDS**-bidders are cautioned that any alternate bid, unless specifically requested or any changes, insertions or omissions to the terms and conditions, specifications or any other requirement of this IFB may be considered non-responsive, and at the option of the City, result in rejection of the alternate bid.
7. **LATE BIDS**-Any bid received at the office designated herein after the exact time specified for receipt will not be considered. (Note: The City reserves the right to consider bids that have been determined by the City to be received late due to mishandling by the City after receipt of the bid and no award has been made.)
8. **UNIT PRICES**-If there is a discrepancy between unit prices and their extension, unit prices shall prevail.

SECTION II
BID AND AWARD

The undersigned having become thoroughly familiar with the project and sites, location conditions affecting the work and understanding all of the special requirements, terms and condition incorporated herein, agrees to perform the demolition work in strict accordance with all the requirements of these documents and all governing statutes, ordinances, rules and regulations as written now and as may be amended, including but not limited to Chapter 9, Article VI, Sections 9-251 through 9-313 of the City of Kalamazoo Code of Ordinance and to provide and furnish all the equipment, labor and materials necessary to complete in a professional manner all work required for the lump sum as stated below:

SCOPE OF WORK/ PROJECT DESCRIPTION

The project includes complete demolition and removal of the buildings/structures listed below and restoration of the project site following the general specifications detailed in Section III: SPECIAL INSTRUCTIONS FOR RESIDENTIAL DEMOLITION. SPECIAL INSTRUCTIONS FOR RESIDENTIAL AND LIGHT COMMERCIAL DEMOLITIONS.

Professional surveys/inspections of these structures have been completed to determine presence, types, quantities and locations of asbestos-containing materials (ACM), mercury, and household hazardous waste unless otherwise noted as PACM. A partial report will be distributed to each firm attending the Pre-Bid Inspection. Proper removal of any and all such materials shall be the responsibility of the successful demolition bidder and all costs for removal shall be included in the bid for each site. Please invite any potential sub-contractors to attend pre-bid inspections. All structures are wood frame houses on basement unless noted otherwise. Area given is total floor area as shown in City Assessor database.

<u>ITEM</u>	<u>ADDRESS/LOCATION</u>	<u>DESCRIPTION</u>	<u>BID AMOUNT</u>
1.	120 Burr Oak Street Multi-Family Home (Duplex)	1,481 sq. ft, 2 story	\$ _____
		GRAND TOTAL:	\$ _____

For additional details and specifications, See - Section III: Special Instructions for Residential and Light Commercial Demolitions; Section IV: Special Requirements - Demolition.

Work shall start within twenty (20) calendar days after receipt of the **NOTICE TO PROCEED** and the first line item shall be substantially completed no later than twenty-five (25) calendar days after commencement. Each additional item for each contract shall be substantially completed within a maximum of one week after completion of the previous item.

The bidder understands that no work may commence until all bonds, permits, licenses and certificates of insurance have been obtained and all fees paid. Said documents shall be obtained within ten (10) days after receipt of **NOTICE OF AWARD**. The bidder agrees to complete all work detailed herein and to conform with the terms of this contract and all applicable laws, ordinances, rules and regulations within the schedule outlined above.

Failure to obtain all required documents within ten (10) days of the receipt of notice of award, or failure to complete all required work within the time specified above shall constitute breach of this contract and justify cancellation by the City. Upon cancellation of the contract, the bidder shall be liable to the City for any increased cost caused by the bidder's breach. Bidders declared in breach will also be removed from the active bidders list maintained by the department until such time as any costs have been reimbursed to the City and/or the matter is otherwise fully resolved to the satisfaction of the City.

Bidder/Contractor has examined and carefully studied the bidding documents and attachments, and acknowledges receipt of the following addenda:

Addendum No: _____

Dated: _____

Bidder shall provide all of the information as requested herein with their bid. Failure to do so and/or failure to provide post-bid requested information may be cause for rejecting the bid as non-responsive.

By my signature below, I certify that the firm bidding on this contract, when making hiring decisions, does not use a past criminal conviction as a bar to or preclude a person with a criminal conviction from being considered for employment with the bidding firm unless otherwise precluded by federal or state law. I further certify that I have read and agree to be bound by the provisions of the City's Non-Discrimination Clause found in Appendix A.

Signed: _____ Name: _____

Title: _____

QUALIFICATIONS OF BIDDERS

1. To demonstrate Bidder's qualifications to perform the Work, provide the following as a supplement to your bid. If Bidder will be subcontracting asbestos abatement services, Bidder shall also provide the following for the asbestos subcontractor. OWNER reserves the right to require bidders to submit additional information as OWNER deems necessary to satisfy OWNER that the bidders are adequately prepared to fulfill all provisions of the contract and as to which bidder should be awarded the contract. Failure to provide information requested within the time frames established by the OWNER will subject the bidder to disqualification of the bid.
 - Description of Contractor's experience with projects of comparative size, complexity, and cost. Specify projects, name of project manager, owners and locations of projects, dates of each project completion. A reference name and current contact phone number for each project must be provided.
 - Provide a listing of equipment that will be dedicated to this project. Written certification that the equipment owned and/or leased by the bidder that will be utilized on the project will conform to all safety requirements required by Michigan and federal law, regulations, and codes.
 - Provide names and addresses of licensed or permitted facilities for recycling or disposal of all wastes and construction debris that will be used at this site.

2. OWNER retains the right to take into account factors others than those set forth in the bid specifications in evaluating and qualifying bidders. Contractor shall provide the information below. Failure to provide requested information will subject the bidder to disqualification of the bid. These factors include, but are not limited to the following:
 - Projects involving the bidder for which performance was and/or not delivered on time;
 - Fines and penalties imposed on the bidder for any projects in the last five (5) years;
 - State, Federal and local environmental violations in the last five (5) years;
 - Liens filed against bidder in the last five (5) years;
 - Suspension or revocations of any professional license of any director, officer, or managerial employee of the bidder, to the extent that any work to be performed is within the field of such licensed profession;
 - OSHA violations by the bidder or bidder's subcontractors within the last five (5) year (including Michigan MIOSHA or other state occupational or construction health and safety laws or regulations), as well as all notices of OSHA or other health and safety citations filed against bidder, together with a description and explanation of remediation or other steps taken regarding such violations and notices of violations;
 - Litigation or arbitration cases in which bidder has been a defendant or third party related to any construction or demolition project in which it has been engaged within the previous five (5) years;
 - Violations, if any, of prevailing wage laws or other wage and hour law violations, including, but not limited to, child labor violations, failure to pay wages, or unemployment insurance tax delinquencies within the past five (5) years;
 - Criminal convictions related to the construction or demolition business of bidder, its officers, directors, and/or managerial employees, within the past five (5) years;

SUB-CONTRACTING INFORMATION

Using the table below provide information regarding the sub-contractors that will be working to fulfill the requirements of this contract. Submit as complete a list as possible at the time of your proposal. You will have two business days after the proposal opening to update the list as needed. The information provided will be used for evaluating your proposal and to assist in determining if you qualify as a Kalamazoo County Bidder.

INSTRUCTIONS:

Nature of Contract - State a brief description of the work or product that will be provided.

BIDDER – Provide the percentage of services or construction activity that will be provided by your firm.

Subcontractors:

- Provide the Name and Address for each subcontractor providing services or construction activities for this contract.
- Provide the percentage for the dollar amount of the contract work they will be performing.

If there are not enough lines in the table below make additional copies as needed.

Subcontractor Name/Address	% Of Total Contract
BIDDER	

Does this List of Subcontractors need to be updated after the proposal opening? **Yes** ___ **No** ___

REFERENCE QUESTIONNAIRE

Please answer the following questions completely.

1. Firm name: _____
2. Established: Year _____ Number of Employees: _____
3. Type of organization:
 - a. Individual: _____
 - b. Partnership: _____
 - c. Corporation: _____
 - d. Other: _____
4. Former firm name(s) if any, and year(s) in business:

5. Include at least 3 references of contracts for similar work performed over the last five (5) years. Include: owner, contact person and phone number and description of work performed.
 - 5.1 Company Name: _____
Address: _____
Phone: _____
Contact: _____
Type of work or contract: _____
 - 5.2 Company Name: _____
Address: _____
Phone: _____
Contact: _____
Type of work or contract: _____
 - 5.3 Company Name: _____
Address: _____
Phone: _____
Contact: _____
Type of work or contract: _____

I hereby certify that all of the information provided is true and answered to the best of my ability.

Signed: _____ Name: _____
(type or print)
Title: _____ Date: _____

CITY OF KALAMAZOO EX-OFFENDER POLICY CHECKLIST

As part of the City’s commitment to reducing unacceptable poverty, encouraging rehabilitation, reducing recidivism and strengthening families in Kalamazoo, the City has updated its Purchasing Policy to ensure that firms with whom the City does business share in this commitment by utilizing hiring practices that do not unfairly deny people with arrest and conviction records gainful employment. *(Important: This requirement also extends to any subcontractors the bidder intends to use to fulfill the contract for goods or services being sought from the City.)*

Part I: Proof that the bidder does not inquire about an individual’s past arrest or criminal history on the bidders employment application form

- Attach a copy of the current application for employment being used by the bidder

Part II: Certification that the bidder does not use an individual’s past arrest or criminal history to unlawfully discriminate against them by checking *one or more* of the following:

- That pursuant to federal or state law bidder is precluded from hiring persons with certain criminal records from holding particular positions or engaging in certain occupations by providing a cite to the applicable statute or regulation; if checking this box, provide a citation to the applicable statute or rule upon which the bidder is relying:_____
- That bidder conducts criminal history background checks only as necessary, and only after making a conditional offer of employment; that any withdrawal of an offer of employment to an individual because of a past criminal history is job-related and consistent with business necessity after the individual has been provided an individualized assessment opportunity to review and challenge or supplement the history of past criminal conduct being relied upon by the bidder;
- That the use by bidder of criminal history background checks complies with the U.S. Equal Employment Opportunity Commission’s Enforcement Guidance on the Consideration of Arrest and Conviction Records in Employment Decisions and that the bidder has not had a determination rendered against it in past 7 years that it discriminated against a person through the use of an individual’s arrest or criminal history

I CERTIFY THAT THE ABOVE STATEMENTS ARE TRUE.

Date

Signature

Printed Name

Position

NOTE: This blanket addendum is for informational purposes only and does not need to be acknowledged by bidders in their submission.

COVID-19 ADDENDUM #2

January 1, 2022

TO: ALL Prospective Bidders
PROJECT: ALL Upcoming Projects

The purpose of this addendum is to clarify and/or modify the sealed bid delivery and bid opening process for all upcoming projects. All work affected is subject to all applicable terms and conditions of the Bidding and Contract Documents.

1. UPDATE TO SEALED BID DELIVERY AND BID OPENING POLICY:

Effective immediately and continuing until further notice, the City of Kalamazoo will return to IN-PERSON bid openings following City Hall guidelines, including Mask Mandate.

BIDS MUST BE RECEIVED BEFORE THE DUE DATE AND TIME – LATE BIDS WILL NOT BE CONSIDERED.

Bidders can submit sealed bids in one of the following ways:

- **Mail your bid**, to be received before the bid due date and time indicated in the bid document, to the City of Kalamazoo at the following address:

City of Kalamazoo
Purchasing Division
241 West South Street
Kalamazoo, MI 49007

- **Deliver your bid to the Treasurer’s Office Payment Drop Box** located in the northwest corner of City Hall before the bid due date and time indicated in the bid document.
- **Deliver your bid to City Hall In Person** before the bid due date and time indicated in the bid document.

All bids shall be tightly sealed in an envelope plainly marked SEALED BID and identified by project name, bid opening date and time. Bids opened by mistake, due to improper identification, will be so documented and resealed. The Purchasing Division will maintain and guarantee confidentiality of the contents until the specified opening date and time. Bids submitted by fax machine or email will not be accepted.

The Purchasing Division will post bid tabulations to the City of Kalamazoo website within 24 hours after the bid opening date and time at: <https://www.kalamazoocity.org/bidopportunities>.

Questions regarding this sealed bid delivery and bid opening policy change related to the COVID-19 virus should be directed to the City of Kalamazoo at (269) 337-8020.

Sincerely,



Michelle Emig
Purchasing Division Manager

I hereby state that all of the information I have provided is true, accurate and complete. I hereby state that I have the authority to submit this bid which will become a binding contract if accepted by the City of Kalamazoo. I hereby state that I have not communicated with nor otherwise colluded with any other bidder, nor have I made any agreement with nor offered/accepted anything of value to/from an official or employee of the City of Kalamazoo that would tend to destroy or hinder free competition.

The firm's identification information provided will be used by the City for purchase orders, payment and other contractual purposes. If the contractual relationship is with, or the payment made to, another firm please provide a complete explanation on your letterhead and attach to your bid. Please provide for accounts payable purposes:

Tax Identification Number (Federal ID): _____

Remittance Address: _____

Financial Contact Name: _____ Financial Contact Phone Number: _____

Financial Contact Email Address: _____

I hereby state that I have read, understand and agree to be bound by all terms and conditions of this bid document.

SIGNED: _____ NAME: _____
(Type or Print)

TITLE: _____ DATE: _____

FIRM NAME: _____
(if any)

ADDRESS: _____
(Street address) (City) (State) (Zip)

PHONE: _____ FAX: _____

EMAIL ADDRESS: _____

FOR CITY USE ONLY - DO NOT WRITE BELOW

SECTION III
SPECIAL INSTRUCTIONS FOR RESIDENTIAL & LIGHT COMMERCIAL DEMOLITIONS

1. All demolition work shall comply with Chapter 9, Article VI, subsections 9-251 through 9-313 of the City of Kalamazoo Code of Ordinances, and all laws, rules and regulations as now written and as amended from time to time. In addition, all demolitions shall conform to the following general specifications. Additional specifications and requirement details are shown on the bid and award page.
2. The City will make reasonable efforts to close all included buildings and structures and to maintain them closed to casual entry from the time of Pre-Bid Inspection until issuance of the Notice To Proceed. Once the Notice to Proceed has been issued, it shall be the responsibility of the Contractor to provide and maintain site security.
3. All fixtures, fittings, furnishings, trash, and other materials in or upon the demolition site and all specified structures become the property of the successful bidder at the time of issuance of the Notice to Proceed.
4. All demolitions shall include removal of all structures (including detached accessory structures) at each site as well as poles, posts, interior fences, slabs on grade, private sidewalks and drives.
5. All demolitions shall include removal of all basement wall, floor, and footing materials and all sub-grade masonry structures (e.g. cisterns, dry wells, vaults, etc.) as specified or encountered during work.
6. Contractors shall **prevent migration of demolition dust** into areas adjacent to the project site by **continuous, generous, and effective application of water** or other effective measures during on-site demolition work **regardless of air temperature**. Any amending agents added to water used to control dust shall be listed as inert or non-polluting. Water used for dust control shall not migrate into or otherwise physically impact areas adjacent to the project site **unless prior written approval is obtained** from owners of that adjacent property after agreement on mitigating measures to prevent and/or reverse damage to that adjacent property. A copy of any such approval/agreement shall be presented to the City of Kalamazoo Project Manager prior to the commencement of demolition activity. No public water source will be available at the demolition site. Use of City hydrant water is very unlikely. Contractors may contact the Water Division of Public Services (269-337-8729) to discuss availability of bulk water at a central public tap.
7. Unless otherwise specified herein, all residential demolitions shall include all costs to remove any asbestos-containing materials (ACM) or other hazardous waste material present at each site. All removal shall be performed in strict conformance with Michigan Dept. of Public Health regulations, EPA regulations, DNRE regulations, OSHA regulations, the attached Special Demolition Requirements for Asbestos and Hazardous Material/Waste, and all other relevant laws, ordinances, and regulations as adopted and effective prior to the NOTICE OF AWARD. **Copies of all associated notices and required documentation shall be provided to the City prior to final invoicing.**

8. Trees, bushes, and other plantings on site having trunks measuring six (6) inches or less diameter at five (5) feet vertical distance above existing grade, may be removed to facilitate demolition. No other vegetation may be removed except as specified in the SCOPE OF WORK/PROJECT DESCRIPTION in Section III, or after other written authorization.
9. Unless instructed otherwise, trees marked by the City for removal by the demolition contractor shall be felled within the boundaries of project property. Trunks shall be cut no higher than two (2) feet above grade as needed to allow stump removal. Prior to any stump removal, a barricade shall be installed surrounding the stump sufficient to prevent flying debris from leaving the project site and to contain all wood chips to be generated. All wood chips shall be removed from the project site and disposed of properly. Stumps shall be removed to a depth of at least twelve (12) inches below final grade. The resulting depression/excavation shall be filled with top dirt and seeded as detailed below for the balance of the site.
10. Once demolition has begun and any site will be left unsupervised, a secure fence of at least four (4) feet in height shall be installed and maintained around the entire perimeter of that site so as to prevent unauthorized access to the site when left unsupervised until excavations have been substantially filled. The fence must be sufficiently visible in any light condition. NOTE: A site free of debris where the excavated area has been partially filled and there is no slope greater than a natural slope (45 degrees) need not be fenced when left unsupervised.
11. Adjacent sidewalks and other public areas shall be properly blocked and protected during demolition as needed by means of substantial barricades, fences, and signage. Barricades remaining during periods of darkness shall have lights.
12. Public streets shall not be blocked except as specifically approved in writing prior to such blockage by the Department of Public Works (269-337-8612).
13. Private streets or shared drives shall not be blocked except that the blockage is approved by each property owner in interest prior to the blockage. Written verification of all approvals shall be provided to the City prior to the blockage.
14. Prior to and during demolition and site restoration activities, public utility lines and equipment and other public improvements shall be protected to prevent damage or interruption of service.
15. The City of Kalamazoo will photo-document the condition of all public walks, curbs, and other public improvements in the vicinity of the demolition site immediately prior to issuance of the Notice To Proceed and will share those images and discuss conditions at the request of the contractor. Public sidewalks, curbs, or other improvements damaged by Contractor's equipment or otherwise as a result of demolition activities shall be promptly repaired or replaced at contractor's expense. Replacement sidewalks and curbs shall be constructed in accordance with standards and regulations of the Department of Public Works.
16. All materials shall be handled, stored, moved, removed and disposed of systematically as the demolition progresses to prevent the creation of a fire hazard or danger to the public. **Contractor shall list the site(s) that will be used for disposal of waste from each site on the required Application for Permit to Wreck. Copies of disposal tickets must be supplied to the City. Failure to provide this information will delay payment until received.**

17. All portions of buildings and property improvements shall be demolished and removed from the site unless otherwise agreed in writing. Prior to filling, Contractor shall arrange for an inspection of the site by the City to verify that all demolition materials have been removed and any utility lines have been properly capped and marked.
18. Water and sewer leads shall be properly capped or plugged in accord with the requirements of the Department of Public Works. Sewer lines shall be permanently sealed/plugged at least five (5) feet outside the perimeter of the building foundation. Water utility lines shall be sealed/capped at least five (5) feet outside the perimeter of the building foundation and marked by placement of a ferrous rod at least four feet in length extending vertically from the capped end of the water pipe to no more than six (6) inches below final grade.
19. Excavations shall be promptly filled with clean inorganic fill, compacted in lifts not exceeding eighteen (18) inches. The final (top) six (6) inches of fill shall consist of clean top soil neatly graded to match the existing perimeter topography of the site and raked in preparation for seeding.
20. All imported fill soil(s) shall be subject to the approval of the Demolition Project Manager.
21. All exposed earth shall be thoroughly seeded with grass seed consisting of approximately 70% tall fescue, 20% perennial rye, and 10% Kentucky blue grass applied at a rate of 100 pounds per acre, then covered with straw or other equivalent approved natural material sufficient to minimize soil erosion.
22. All bonds, permits, licenses, or certificates of insurance required for the performance of the work specified herein shall be obtained and paid for by the Contractor and proof of same provided to the Code Administration Division no later than ten (10) calendar days after Notice of Award. No work shall commence until all required permits, licenses have been obtained by the Contractor and, when required, approved by the City, and/or until all required fees have been paid. **NO PERMIT SHALL BE ISSUED UNTIL ALL DOCUMENTS REQUIRED BY THIS CONTRACT OR BY GOVERNING STATUTE, ORDINANCE, LAW, RULE OR REGULATION HAVE BEEN OBTAINED AND ALL REQUIRED FEES PAID.** Failure to meet any one or more of these requirements shall constitute breach of contract and justify cancellation of the contract by the City of Kalamazoo.

SECTION IV
SPECIAL REQUIREMENTS - DEMOLITION

1. ASBESTOS AND HAZARDOUS MATERIAL/WASTE

- 1.1 The City will provide information documenting the nature, amount(s), and location(s) of any asbestos or other hazardous waste or substances confirmed through professional inspection and analysis to be present at the project site.
- 1.2 During inspection of work site(s) by the bidder(s), each shall confirm presence of any asbestos or other hazardous waste material in, on, or near the building to be demolished that is included in the survey documents and shall make allowance for its abatement and/or removal in the lump sum price bid and state any and all sub-contractor(s) that may be required, see Bid & Award page(s).
- 1.3 In the event that unforeseen hazardous waste material is encountered by the contractor, work in that general area shall cease until a Demolition Change Order has been completed that details scope, method, and terms for its treatment.
- 1.4 Whether asbestos or any other hazardous material was included in the survey documents or discovered subsequent to Notice of Award, items 2 through 7 below must be followed.

2. SCOPE - HAZARDOUS WASTE MATERIAL

This project includes supplying all labor, materials, tools, equipment, supplies, permits, notices, receipts, disposal fees and all other incidental fees and costs associated with the lawful removal, transportation and disposal of hazardous waste material.

3. PRECAUTION

The Contractor shall use all due precaution in handling, removal, transportation, storage and disposal of all hazardous material to avoid any possibility of accident or harm to domestic animals, wildlife, air, water soils, the environment and to humans whatsoever.

4. TRANSPORTATION

The Contractor shall lawfully transport the hazardous material to the disposal site and to the temporary storage site, if needed. All licenses, fees and other incidental costs associated with transportation shall be the responsibility of the Contractor. The Contractor shall abide by all applicable load restrictions, traffic regulations and ordinances to ensure safe and proper transportation. The Contractor shall cover all of the hazardous material during transport to disposal site.

5. TEMPORARY STORAGE

The Contractor shall provide for lawful disposal of the hazardous material if needed. It is the responsibility of the Contractor to acquire any and all necessary approvals from all governmental units having jurisdiction over the temporary storage site. The temporary storage site selected by the Contractor shall be subject to the approval of the City.

6. DISPOSAL

The Contractor shall provide for lawful disposal of the hazardous material. All required notices shall be filed and all applicable state, federal, and local permits shall be secured by the Contractor prior to loading, unloading and disposal of the hazardous material at the earliest possible date without delay. The Contractor shall be required by the City to participate in a manifest system with the purpose of accounting for each load of hazardous material removed. The manifest forms will be supplied by the Contractor and will require the Contractor to secure the signature of the transporter and disposal site operator verifying that the hazardous material has been properly transported, received and disposed of. **Copies of all hazardous waste disposal manifests associated with this project must be submitted to the City by the demolition contractor prior to or along with final request for payment.** Any failure of the Contractor to account for each and every load of hazardous material shall be deemed to be a violation of the terms of this contract and just cause for default of contract and prosecution to the fullest extent possible under the law.

7. CONTAINERS

The Contractor shall supply containers for use in the temporary storage and/or transport of the hazardous material when required. Any container lining deemed necessary by the Contractor or the City for effective disposal shall be supplied by the Contractor. The Contractor shall furnish and use container covers for use in the transport and temporary storage if deemed necessary by the City or required by law and ordinance.

Any and all containers, as may be required by law, shall conform, be labeled, placed, moved, handled and transported in accordance with all local, state and federal laws, rules and regulations.

8. WAIVERS OF LIEN

Upon completion of all work and request for final payment, the Contractor shall furnish a 100% waiver of lien from each supplier and sub-contractor covering all items of the work. Failure to supply waivers of lien for the entire job upon completion and final payment request will be considered grounds for withholding final payment.

9. SUBCONTRACTORS

Contractors shall state on the Bid and Award pages any and all subcontractors to be associated with their bid, including the type work to be performed. Any and all subcontractors shall be bound by all of the terms, conditions and requirements of the contract; however, the prime Contractor shall be responsible for the performance of the total work requirements.

GENERAL CONDITIONS

1. PROJECT MANAGER

- 1.1 The Project Manager or his/her duly authorized representative shall have the duties and responsibilities as provided in the contract.
- 1.2 The Project Manager shall have the authority to reject any work or materials that do not conform to the contract and to decide questions or make interpretations that may arise from the contract documents.
- 1.3 The Contractor shall immediately report to the Project Manager any questionable or obvious error or omission that may be apparent in the contract documents and shall not proceed with work until the Project Manager or his/her representative has resolved the error or omission.
- 1.4 The Project Manger shall have authority to stop work whenever such stoppage may be necessary to ensure the proper execution of the contract.

2. DEMOLITION SCHEDULE AND COORDINATION

- 2.1 TIME IS OF THE ESSENCE in respect to the work contemplated herein, and the Contractor agrees to do the work covered by the contract in conformity with the provisions set forth herein. Failure on the part of the Contractor to complete the work within the stated time he/she has set for and agreed to herein, shall constitute default by the Contractor. Regardless of any other provision of this contract, if Contractor fails to complete the work within the time he/she has set forth and agreed to herein, the Contractor may be liable to the owners(s) for any damages incurred by the owner(s).
- 2.2 The Contractor shall supply the City with an agreeable work schedule before commencing work on this contract. This schedule shall detail beginning and completion dates for each major component of the project.
- 2.3 The Contractor shall coordinate and cooperate with all other contractors who may be working on the site in order to allow for the orderly progress of work being done.
- 2.4 The Contractor is required to keep the Project Manager fully informed of any proposed work that will tend to interfere with the existing operations at the site.
- 2.5 The Contractor shall schedule all work to accommodate the City's schedule. In the event Contractor's schedule falls on weekends, nights or overtime work is required, no additional compensation will be allowed. All work shall be part of this contract without regard to when it is done.

3. PROTECTION OF WORK

The Contractor shall maintain adequate protection of all his/her work from damage and shall protect all public and private abutting property from injury or loss arising in connection with this contract. He/She shall provide and maintain all barricades, lights, fences, watchpersons or other facilities necessary to protect all persons from danger or hazardous conditions resulting from the work in the contract.

4. PROTECTION OF PROPERTY

4.1 The Contractor shall confine his/her equipment and operations to those areas of the work site necessary for the completion of the work, or as authorized by the Project Manager. The Contractor shall protect and preserve from damage any facilities, utilities or features including trees, shrubs and turf that are not required to be disturbed by the scope of work.

4.2 The Contractor shall be responsible for determining the location of and for protecting from damage any utilities or other improvements.

5. REMOVAL OF RUBBISH

The Contractor shall daily remove all rubbish and accumulated materials due to his/her construction.

6. RESPONSIBILITY OF CONTRACTOR

6.1 Contractor shall be responsible for his/her own work and every part thereof and all work of every description used in connection with this contract. He/She shall specifically and distinctly assume and does assume all risk of damage from any action or operations under the contract or in connection with his/her work. He/She undertakes and promises to protect and defend the owner(s) against all claims on account any such damage or injury.

6.2 The contractor shall be held responsible for the satisfactory and complete execution of the work in accordance with the true intent of the specifications. He/She shall provide, without extra cost incidental items required as a part of his/her work even though not particularly specified or indicated.

6.3 The contractor shall personally superintend the work or shall have a competent person at the site at all times to act for him/her.

7. SITE SECURITY

The Contractor shall be responsible for job site security of all materials and tools provided by him/her and no claim for loss or damage will be considered by the City.

8. SITE ACCESS

The City will provide fair and reasonable access to the job site within the working schedules of both parties.

9. MATERIALS INSPECTION AND RESPONSIBILITY

- 9.1 The Project Manager shall have the right to inspect any materials to be used in carrying out the terms of the contract.
- 9.2 Any materials, equipment, components or completed work which does not comply with contract specifications or applicable city and state codes may be rejected by the City, and shall be replaced by the Contractor at no cost to the City.
- 9.3 Any reference in these documents to standard specifications shall mean the latest revisions of these specifications and shall become a part of this contract. Any part of the work not completely detailed in these documents, or referenced to a standard specification, shall be governed by the latest edition of the proper industry document.

10. GUARANTEE

The Contractor shall guarantee all of his/her work for a period of one (1) year following the date of final acceptance of the completed work and shall repair, replace or make good any materials or work that fail to function or perform or be found defective, without cost to the city.

11. SAFETY

The Contractor shall comply with all applicable OSHA and MIOSHA regulations.

12. UNDERGROUND UTILITIES

For protection of underground utilities, the Contractor shall dial Miss Dig at 1-800-482-7171 a minimum of 72 hours prior to excavating in the vicinity of utility lines. All “Miss Dig” participating members will thus be routinely notified. This does not relieve the Contractor of notifying utility owners who may not be part of the “Miss Dig” alert system.

13. FOR DEMOLITION CONTRACTS

- 13.1 All protection and control devices within the area of demolition shall be considered as incidental to the completion of the work and no extra payment, therefore, will be made. For purposes of this contract, the area of demolition shall be considered any area in which work is in such a stage of demolition so that safe travel of the public is affected.
- 13.2 Streets/roads shall remain open for access to frontage properties, as much as practicable, where such will not unduly interfere with the prosecution of the work. The portion of the streets open to through traffic shall be maintained in a passable condition. The procedures shall follow MDOT 6.31 Maintaining Traffic, except that City supplied signs shall be limited to detours. Maintaining traffic is considered to be incidental to the work and no extra payment, therefore, shall be made.

14. DOCUMENT FEES AND NUMBER OF DAYS

All bonds, permits, licenses or certifications of insurance required for the performance of the work specified herein shall be obtained and paid for by the Contractor, and proof of same provided to the Purchasing Director within ten (10) days after notification of the contract award; all work under the contract shall be completed in compliance with the Kalamazoo City Code within ninety (90) days of when all permits, licenses and certificates should have been obtained and all fees paid as stated above.

15. ORDINANCE

ALL DEMOLITION WORK SHALL COMPLY WITH CHAPTER 9, ARTICLE VI, Subsections 9-251 through 9-313 of the Kalamazoo Code, statutes, ordinances, laws, rules and regulations as now written and amended from time to time.

16. PRE-BID MEETING & INSPECTION OF PROJECT SITE

Before submitting bids for his/her work, the Contractor shall be responsible for examining the work site and satisfying himself/herself as to the existing conditions under which he/she will be obligated to operate, or that in any way affects the work under this contract. No allowance shall be made subsequently, on behalf of the Contractor, for any negligence on his/her part. A virtual pre-bid meeting is scheduled for **April 5, 2022 @ 11:00 a.m.** Then proceed to project sites at your own pace, open until 4:00 p.m. Click [here](#) to register in advance for this Zoom meeting. Questions may be emailed to Roger Iveson at ivesonr@kalamazoocity.org by **4:00 p.m. on April 11, 2022.**

17. QUESTIONS

Questions concerning the building(s) to be demolished, the demolition site, SCOPE OF WORK/PROJECT DESCRIPTION, SPECIAL INSTRUCTIONS FOR RESIDENTIAL & LIGHT COMMERCIAL DEMOLITIONS, or SPECIAL REQUIREMENTS-DEMOLITION or laws and ordinances governing the demolition work may be directed to Roger Iveson, City Building Official at ivesonr@kalamazoocity.org or (269) 337-8560. Questions regarding the bid or award process may be directed to Monica Johnson, Buyer at johnsonm2@kalamazoocity.org or (269) 337-8603.

**SECTION V
INDEMNITY AND INSURANCE**

Contractor, or any of their subcontractors, shall not commence work under this contract until they have obtained the insurance required under this paragraph, and shall keep such insurance in force during the entire life of this contract. All coverage shall be with insurance companies licensed and admitted to do business in the State of Michigan and acceptable to the City of Kalamazoo within ten (10) days of the Notice of Award. The requirements below should not be interpreted to limit the liability of the Contractor. All deductibles and SIR's are the responsibility of the Contractor.

The Contractor shall procure and maintain the following insurance coverage:

Workers' Compensation Insurance including Employers' Liability Coverage, in accordance with all applicable statutes of the State of Michigan.

Commercial General Liability Insurance on an "Occurrence Basis" with limits of liability not less than \$1,000,000 per occurrence and aggregate. Coverage shall include the following extensions: (A) Contractual Liability; (B) Products and Completed Operations; (C) Independent Contractors Coverage; (D) Broad Form General Liability Extensions or equivalent, if not already included and (E) XCU coverage if the nature of the contract requires XC or U work.

Automobile Liability in accordance with all applicable statutes of the State of Michigan, with limits of liability not less than \$1,000,000 per occurrence, combined single limit for Bodily Injury, and Property Damage. Coverage shall include all owned vehicles, all non-owned vehicles, and all hired vehicles.

Additional Insured: Commercial General Liability and Automobile Liability, as described above, shall include an endorsement stating that the following shall be *Additional Insureds*: The City of Kalamazoo, all elected and appointed officials, all employees and volunteers, all boards, commissions, and/or authorities and board members, including employees and volunteers thereof. It is understood and agreed that by naming the City of Kalamazoo as additional insured, coverage afforded is considered to be primary and any other insurance the City of Kalamazoo may have in effect shall be considered secondary and/or excess.

To the fullest extent permitted by law the Contractor agrees to defend, pay on behalf of, indemnify, and hold harmless the City of Kalamazoo, its elected and appointed officials, employees, agents and volunteers, and others working on behalf of the City of Kalamazoo against any and all claims, demands, suits, or loss, including all costs connected therewith, and for any damages which may be asserted, claimed, or recovered against or from the City of Kalamazoo, by reason of personal injury, including bodily injury or death and/or property damage, including loss of use thereof, which arises out of, or is in any way connected or associated with this contract.

Cancellation Notice: All policies, as described above, shall include an endorsement stating that it is understood and agreed that thirty (30) days, or ten (10) days for non-payment of premium, Advance Written Notice of Cancellation, Non-Renewal, Reduction, and/or Material Change shall be sent to: City of Kalamazoo, Purchasing Division, 241 W. South Street, Kalamazoo, MI 49007.

Proof of Insurance Coverage: The Contractor shall provide the City of Kalamazoo at the time that the contracts are returned by him/her for execution, or within 10 days of Notice of Award, whichever is earlier, a Certificate of Insurance as well as the required endorsements. In lieu of required endorsements, if applicable, a copy of the policy sections where coverage is provided for additional insured and cancellation notice would be acceptable. Copies or certified copies of all policies mentioned above shall be furnished, if so requested.

SECTION V
INDEMNITY AND INSURANCE
(Continued)

If any of the above coverages expire during the term of this contract, the Contractor shall deliver renewal certificates and/or policies to City of Kalamazoo at least ten (10) days prior to the expiration date.

Scope of Coverage: The above requirements and conditions shall not be interpreted to limit the liability of the Contractor under this Contract, but shall be interpreted to provide the greatest benefit to the City and its officers and employees. The above listed coverages shall protect the Contractor, its employees, agents, representatives and subcontractors against claims arising out of the work performed. It shall be the Contractor's responsibility to provide similar insurance for each subcontractor or to provide evidence that each subcontractor carries such insurance in like amount prior to the time such subcontractor proceeds to perform under the contract.

SECTION VI
TERMS AND CONDITIONS

1. AWARD OF CONTRACT

- A. This contract will be awarded to that responsible bidder whose bid, conforming to this solicitation, will be most advantageous to the City, price and other factors considered. The City reserves the right to accept or reject any or all bids and waive informalities and minor irregularities in bids received. Other factors include, as an example but not limited to, delivery time, conformance to specifications, incidental costs such as demurrage and deposits, etc.

Notification of award will be in writing by the Purchasing Director. Upon notification, the Contractor shall submit to the Purchasing/Risk Management Division all required insurance certificates (if required) and such other documentation as may be requested or required hereunder. Upon their receipt and subsequent approval by the City, the Purchasing Director will forward to the Contractor a written **NOTICE TO PROCEED**. Work shall **NOT** be started until such **NOTICE TO PROCEED** is received by the Contractor.

- B. Unilateral changes in bid prices by the bidder shall not be allowed. However, the City, at its sole option, reserves the right to negotiate with bidders in the event of, but not limited to:
- 1) No bids received;
 - 2) A single bid being received; or
 - 3) Prices quoted are over budget and/or unreasonable.

2. COMPLETE CONTRACT

This bid document together with its addenda, amendments, attachments and modifications, when executed, becomes the complete contract between the parties hereto, and no verbal or oral promises or representations made in conjunction with the negotiation of this contract shall be binding on either party.

3. SUBCONTRACTORS - NON-ASSIGNMENT

Bidders shall state in writing any and all sub-contractors to be associated with this bid, including the type of work to be performed. The Contractor shall cooperate with the City of Kalamazoo in meeting its commitments and goals with regard to maximum utilization of minority and women-owned business enterprises.

The Contractor hereby agrees and understands that the contract resulting from this solicitation shall not be transferred, assigned or sublet without prior written consent of the City of Kalamazoo.

4. TAXES

The City of Kalamazoo is exempt from all federal excise tax and state sales and use taxes. However, depending upon the situation, the vendor or contractor may not be exempt from said taxes and the City of Kalamazoo is making no representation as to any such exemption.

5. **INVOICING**

All original invoice(s) will be sent to the Finance Division, 241 W. South Street, Kalamazoo, MI 49007 or via email at apinvoice@kalamazoocity.org. Faxed copy of invoice(s) will not be accepted, unless it is to replace an original invoice that was lost in the mail. The Finance Division processes payments after receipt of an original invoice from the Contractor and approval by the department.

The City of Kalamazoo policy is to pay invoice(s) within 30 days from the receipt of the original invoice, if the services or supplies are satisfactory and the proper paperwork and procedures have been followed. In order to guarantee payment to the vendor on a timely basis, the vendor needs to receive a purchase order number before supplying the City of Kalamazoo with goods or services. All original, and copies of original invoice(s), will clearly state which purchase order they are being billed against.

The City of Kalamazoo is a government municipality and therefore is tax exempt from all sales tax. Our tax-exempt number is 38-6004627.

The vendor is responsible for supplying the Finance Division with a copy of their W-9 if they are providing a service to the City of Kalamazoo.

6. **PAYMENTS**

Unless otherwise specified by the City in this contract, the Contractor will be paid in not more than thirty (30) days after receipt of a properly executed invoice, the sum stipulated herein for supplies delivered and accepted, or service rendered and accepted. Payments are processed by the Budget & Accounting Division after receipt of an original invoice from the Contractor and approval by the department.

7. **CHANGES AND/OR CONTRACT MODIFICATIONS**

The City reserves the right to increase or decrease quantities, service or requirements, or make any changes necessary at any time during the term of this contract, or any negotiated extension thereof. Price adjustments due to any of the foregoing changes shall be negotiated and mutually agreed upon by the Contractor and the City.

Changes of any nature after contract award which reflect an increase or decrease in requirements or costs shall not be permitted without prior approval by the Purchasing Director. City Commission approval may also be required. **SUCH CHANGES, IF PERFORMED IN ADVANCE OF PURCHASING DIRECTOR APPROVAL, MAY BE SUBJECT TO DENIAL AND NON-PAYMENT.**

8. **LAWS, ORDINANCES AND REGULATIONS**

The Contractor shall keep himself/herself fully informed of all local, state and federal laws, ordinances and regulations in any manner affecting those engaged or employed in the work and the equipment used. Contractor and/or employees shall, at all times, serve and comply with such laws, ordinances and regulations.

Any permits, licenses, certificates or fees required for the performance of the work shall be obtained and paid for by the Contractor.

This contract shall be governed by the laws of the State of Michigan.

9. RIGHT TO AUDIT

The City or its designee shall be entitled to audit all of the Contractor's records, and shall be allowed to interview any of the Contractor's employees, throughout the term of this contract and for a period of three years after final payment or longer if required by law to the extent necessary to adequately permit evaluation and verification of:

- A. Contractor compliance with contract requirements,
- B. Compliance with provisions for pricing change orders, invoices or claims submitted by the Contractor or any of his payees.

10. HOLD HARMLESS

If the acts or omissions of the Contractor/Vendor or its employees, agents or officers, cause injury to person or property, the Contractor/Vendor shall defend, indemnify and save harmless the City of Kalamazoo, its agents, officials, and employees against all claims, judgments, losses, damages, demands, and payments of any kind to persons or property to the extent occasioned from any claim or demand arising therefrom.

11. DEFAULT

The City may at any time, by written notice to the Contractor, terminate this contract and the Contractor's right to proceed with the work, for just cause, which shall include, but is not limited to the following:

- A. Failure to provide insurance and bonds (when called for), in the exact amounts and within the time specified or any extension thereof.
- B. Failure to make delivery of the supplies, or to perform the services within the time specified herein, or any extension thereof.
- C. The unauthorized substitution of articles for those bid and specified.
- D. Failure to make progress if such failure endangers performance of the contract in accordance with its terms.
- E. Failure to perform in compliance with any provision of the contract.
- F. **Standard of Performance** - Contractor guarantees the performance of the commodities, goods or services rendered herein in accordance with the accepted standards of the industry or industries concerned herein, except that if this specification calls for higher standards, then such higher standards shall be provided.

Upon notice by the City of Contractor's failure to comply with such standards or to otherwise be in default of this contract in any manner following the Notice to Proceed, Contractor shall immediately remedy said defective performance in a manner acceptable to the City. Should Contractor fail to immediately correct said defective performance, said failure shall be considered a breach of this contract and grounds for termination of the same by the City.

In the event of any breach of this contract by Contractor, Contractor shall pay any cost to the City caused by said breach including but not limited to the replacement cost of such goods or services with another Contractor.

Standard of Performance (*cont.*)

The City reserves the right to withhold any or all payments until any defects in performance have been satisfactorily corrected.

In the event the Contractor is in breach of this contract in any manner, and such breach has not been satisfactorily corrected, the City may bar the Contractor from being awarded any future City contracts.

- G. All remedies available to the City herein are cumulative and the election of one remedy by the City shall not be a waiver of any other remedy available to the City either listed in this contract or available by operation of law.

12. INDEPENDENT CONTRACTOR

At all times, the Contractor, any of his/her employees, or his/her sub-contractors and their subsequent employees shall be considered independent contractors and not as City employees. The Contractor shall exercise all supervisory control and general control over all workers' duties, payment of wages to Contractor's employees and the right to hire, fire and discipline their employees and workers. As an independent contractor, payment under this contract shall not be subject to any withholding for tax, social security or other purposes, nor shall the Contractor or his/her employees be entitled to sick leave, pension benefit, vacation, medical benefits, life insurance or workers' unemployment compensation or the like.

13. PROJECT SUPERVISOR

The Contractor shall employ an individual to act as Project Supervisor. The Project Supervisor shall be available to the Contractor's workers and the Project Manager at all times by use of a cell phone, pager or other reliable means. The Project Supervisor shall prepare daily work plans for the employees, monitor employee performance, attendance and punctuality; and work closely with the City's Project Manager in assuring contract compliance.

14. MEETINGS

The Contractor and/or Project Supervisor shall be available to meet with the Department Head or Project Manager at a mutually agreeable time to discuss problems, issues or concerns relative to the contract. Either party may call a meeting at any time. When such a request for a meeting is made, the meeting date shall, in no case exceed five (5) working days after the request; and, if in the sole opinion of the Department Head, the severity of the circumstance warrants, no more than one (1) working day.

APPENDIX A
NON-DISCRIMINATION CLAUSE FOR ALL CITY OF KALAMAZOO CONTRACTS

The Contractor agrees to comply with the Federal Civil Rights Act of 1964 as amended; the Federal Civil Rights Act of 1991 as amended; the Americans With Disabilities Act of 1990 as amended; the Elliott-Larson Civil Rights Act, Act. No. 453, Public Act of 1976 as amended; the Michigan Handicappers Civil Rights Act, Act No. 220, Public Act of 1976 as amended, City Ordinance 1856 and all other applicable Federal and State laws. The Contractor agrees as follows:

1. The Contractor will not discriminate against any employee or applicant for employment because of race, color, religion, national origin, sex, age, height, weight, marital status, physical or mental disability, family status, sexual orientation or gender identity that is unrelated to the individual's ability to perform the duties of the particular job or position. Such action shall include, but not be limited to the following: employment, upgrading, demotion or transfer, recruitment advertising, layoff or termination; rates of pay or other forms of compensations; and selection for training, including apprenticeship.
2. The Contractor will, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, national origin, sex, age, height, weight, marital status, physical or mental disability family status, sexual orientation or gender identity that is unrelated to the individuals ability to perform the duties of the particular job or position.
3. If requested by the City, the Contractor shall furnish information regarding practices, policies and programs and employment statistics for the Contractor and subcontractors. The Contractor and subcontractors shall permit access to all books, records and accounts regarding employment practices by agents and representatives of the City duly charged with investigative duties to assure compliance with this clause.
4. Breach of the covenants herein may be regarded as a material breach of the contract or purchasing agreement as provided in the Elliott-Larsen Civil Rights Act and City Ordinance 1856.
5. The Contractor will include or incorporate by reference the provisions of the foregoing paragraphs 1 through 4 in every subcontract or purchase order unless exempted by the rules, regulations or orders of the Michigan Civil Rights Commission* and will provide in every subcontract or purchase order that said provision will be binding upon each subcontractor or seller.
6. The Contractor will not preclude a person with a criminal conviction from being considered for employment unless otherwise precluded by federal or state law. (for contracts over \$25,000)

The Elliott-Larson Civil Rights Act, Sec. 202 of Act. No. 453 of 1976 reads in part as follows:

Sec. 202. (1) An employer shall not:

- (a) Fail or refuse to hire, or recruit, or discharge or otherwise discriminate against an individual with respect to employment, compensation, or a term condition or privilege of employment because of religion, race, color, national origin, age, sex, height, weight or marital status.
- (b) Limit, segregate or classify an employee or applicant for employment in a way which deprives or tends to deprive the employee or applicant of an employment opportunity or otherwise adversely affects the status of an employee or applicant because of religion, race, color, national origin, age, sex, height, weight or marital status.
- (c) Segregate, classify or otherwise discriminate against a person on the basis of sex with respect to a term, condition or privilege of employment, including a benefit plan or system.

* Except for contracts entered into with parties employing less than three employees. 1-2010



ASBESTOS REPORT
(120 Burr Oak Street)

DEMOLITION OF 1 HOUSE

BID REFERENCE# 91240-013.0



Atlas Technical Consultants

2650 Horizon Drive SE, Suite 11
Grand Rapids, Michigan 49546

Phone +1 616 698 3131
Fax +1 616 698 1922

Client Name:	City of Kalamazoo
Project Name:	Residential Asbestos Survey
Project Number:	188BS21736
Project Site Address (Subject Property):	120 Burr Oak Street, Kalamazoo, MI 49001
Parcel Number:	06-22-195-004
Date of Site Visit:	12/16/2021
Asbestos Inspection Performed by:	Andrew DeLodder (A48677)
Asbestos Inspector's Signature:	<i>Andrew DeLodder</i>
Areas Not Accessible:	All areas were accessible
Number of Floors:	2 story, 1,481 square foot (SF), multi-family home (duplex) with a basement
Asbestos Present (Yes/No/Other):	Yes

On the date indicated above, State of Michigan Asbestos Inspector, Andrew DeLodder (A48677) from Atlas Technical Consultants, conducted a pre-demolition asbestos and other regulated materials inspection of the subject unoccupied residential property.

Table I identifies materials that were found to contain asbestos in concentrations greater than 1% and therefore are regulated under the rules of asbestos in the State of Michigan.

**TABLE I
Asbestos-Containing Materials**

ID#	MATERIAL	LOCATION	QUANTITY	RESULT	NESHAP CATEGORY
12-DW-A,B,C	Duct wrap - on remaining HVAC ducts	FS 14	130 SF	75% Chrysotile	Friable
13-FT-A,B,C	Floor tile - 9'x9' white	FS-7	115 SF	5% Chrysotile (floor tile) ND (mastic)	Category II
15-FT-A,B,C	Floor tile - 9"x9" – black	FS-10	150 SF	4% Chrysotile (floor tile) ND (mastic & tar paper)	Category II
16-MLF-A,B,C	Multi-Layer Floor	FS-11	150 SF	7% Chrysotile	Category II

The purpose of this inspection was to task an accredited asbestos inspector to complete a pre-demolition asbestos and hazardous material survey of the subject site, and provide recommendation options for removal and disposal of identified hazardous/regulated materials prior to demolition of the building(s). The asbestos inspection consisted of the following three basic procedures: conducting a visual inspection of the structure, Identifying homogeneous areas (HAs) of suspect surfacing, thermal system insulation, and miscellaneous materials; and sampling identified friable and non-friable suspect materials.

Bulk samples of suspect ACMs were collected and placed into individual containers for transport under Chain of Custody (COC) to a National Voluntary Lab Accreditation Program (NVLAP)-accredited laboratory for analysis. Materials typically known as non-asbestos items (i.e. fibrous glass, foam rubber, wood, etc.) were not sampled.

Laboratory Reports and associated COC's are provided in **Attachment A**. Photographs of the site are included in **Attachment B**. The following sections summarize Atlas' findings.

Table II below identifies the suspect asbestos-containing materials identified during the survey, their locations, approximate quantity, type and percentage of asbestos.

**TABLE II
Suspect Asbestos-Containing Materials**

HA/ID#	MATERIAL	LOCATION	RESULT
1-RM-A,B,C	Roofing material, asphalt	EA-5	ND – All Layers
2-FS-A,B,C	Fiber siding with black adhesive - under aluminum siding	EA 1-4	ND – All Layers
3-VP-A,B,C	Vapor paper - brown with foil layer	EA 1-4	ND
4-WG-A,B,C	Window glaze - white on 1st and 2nd story windows	EA 1-4	ND
5-WG-A,B,C	Window glaze - beige - on basement windows	EA 2-4	ND
6-EC-A,B,C	Exterior caulk - white on aluminum siding along door and window frames	EA 1-4	ND
7-EC-A,B,C	Exterior caulk - black between chimney block and wood siding	EA-3	ND
8-EC-A,B,C	Exterior caulk - white between chimney block and aluminum siding	EA-3	ND
9-EC-A,B,C	Gray - along perimeter of basement windows	EA 2-4	ND
10-PL-A,B,C,D,E,F,	Plaster, on lath	FS 6-21	ND
11-DWS-A,B,C,D,E,F,G	Drywall system - wallboard and joint compound	FS 8-21	ND – All Layers
12-DW-A,B,C	Duct wrap - on remaining HVAC ducts	FS-14	75% Chrysotile

HA/ID#	MATERIAL	LOCATION	RESULT
13-FT-A,B,C	Floor tile - 9'x9' white	FS-7	5% Chrysotile (floor tile) ND (mastic)
14-FT-A,B,C	Floor tile - 12"x12" white	FS-9	ND
15-FT-A,B,C	Floor tile - 9"x9" – black	FS-10	4% Chrysotile (floor tile) ND (mastic & tar paper)
16-MLF-A,B,C	Multi-Layer Floor	FS-11	7% Chrysotile
17-FT-A,B,C	Floor tile - 9"x9" - cream with green streaks	FS-16,21	ND – All Layers
18-FT-A,B,C	Floor tile - 9"x9" - cream with brown streaks	FS-18	ND – All Layers
19-CP-A,B,C	Ceiling panel - 2'x4' pinhole and fissure	FS-6	ND
20-CT-A,B,C	Ceiling tile - 12"x12" rough texture	FS-7	ND
21-CT-A,B,C	Ceiling tile - 12"x12" smooth texture	FS-8	ND
22-CP-A,B,C	Ceiling panel - 2'x2' fissure texture	FS-8	ND
23-CP-A,B,C	Ceiling panel - 2'x4' popcorn texture	FS-20	ND
24-CT-A,B,C	Ceiling tile - 12"x12" swirl texture	FS-19	ND
25-CA-A,B,C	Construction adhesive - beige, on door	FS-7,8	ND

HA/ID#	MATERIAL	LOCATION	RESULT
26-BM-A,B,C	Brick and mortar - chimney stack	FS-15	ND
27-BM-A,B,C	Brick and mortar - basement rock and mortar foundation	FS-14	ND
28-CC-A,B,C	Concrete chip - exterior concrete	EA-4	ND
29-CC-A,B,C	Concrete chip - basement floor and concrete foundation walls	FS-14	ND
30-CM-A,B,C	Carpet mastic - brown	FS-6,7,10	ND
31-CB-A,B,C	Cove base and adhesive - 4" tan	FS-18	ND – All Layers
32-MLF-A,B,C	Multi layered floor	FS-19	ND – All Layers
33-TPL-A,B,C	Textured plaster - rough texture, located under drywall layer	FS-8	ND
34-CC-A,B,C	Stack Cement	FS-15	ND

ND = No asbestos detected, **NA** = Not applicable, **UNQ** = Unquantified; **PC** = Point Count

No other suspect ACMs were observed on the site. Although not anticipated based on surface observations, underground structures that could contain ACM may be present and should be managed accordingly if encountered during site redevelopment.

Asbestos is a hazardous substance. Its condition, handling and disposal are regulated by federal, state, and local agencies. ACMs generally do not pose a health threat unless the asbestos fibers are disturbed, become airborne and are inhaled.

Contractors working in an area where asbestos is present must be informed of the type and location of ACMs. Abatement of ACMs, including non-friable ACMs, must be performed by a Michigan licensed, certified and registered asbestos abatement contractor in accordance with state and federal Occupational Safety and Health Administration (OSHA) and local air quality management regulations.

Table III below lists Other Regulated Materials/Universal Wastes identified during the survey.

**TABLE III
Other Regulated Materials/Universal Wastes**

MATERIAL	LOCATION	APPROXIMATE QUANTITY
Misc. Items (glue, solvents, cleaners, etc.)	EA-3,EA-4; FS-10,12,11,14,18,19	10
Paint Cans	EA-3;FS-10,14	3
Air Conditioners/Refrigerators/Freezers/Dehumidifiers	EA-2; FS-11,19	3
Batteries	EA-3:FS-10,13,14,16,17,18,19	10
CRTs/TV Screens/Monitors/Electronics	EA-3,4; FS-14,17,18,19,20,21	10
Fire Extinguisher	FS-13	1
Tires	EA-3	3

Table IV below lists the functional spaces identified during the survey.

**Table IV
Functional Space/ Exterior Area Designations**

DESCRIPTION	DESIGNATION
Interior Functional Spaces	
Living Room	FS-10
Dining Room	FS-12
Kitchen 1	FS-11
Bathroom 1	FS-9
Bathroom 2	FS-20
Bedroom 1	FS-7
Bedroom 2	FS-8
Bedroom 3	FS-18
Bedroom 4	FS-21
Basement	FS-14
Stairwell to Basement	FS-13
Stairwell to 2 nd Floor	FS-16
Closet 1	17
Front Entry	FS-6

DESCRIPTION	DESIGNATION
Interior Functional Spaces	
Chimney Stack	FS-15
Attic	FS-22
Kitchen 2	FS-19
Exterior Areas	
House front	EA-1
House left side	EA-2
House rear	EA-3
House right side	EA-4
House roof	EA-5

RECOMMENDATIONS:

Except for the following items listed below, Section 61.145(c) of the Asbestos NESHAP requires that each owner or operator of a demolition or demolition activity involving RACM remove all such material from a facility being demolished or renovated before any activity begins that would break up, dislodge, or similarly disturb the material or preclude access to the material for subsequent removal.

ACM need not be removed before demolition if it:

- (i) Is a Category I non-friable ACM that is not friable.
- (ii) Is on a facility component that is encased in concrete or other similarly hard material and is adequately wet whenever exposed during demolition.
- (iii) Was not accessible for testing and therefore was not discovered until after demolition began and, as a result of the demolition, cannot be safely removed. If not removed for safety reasons, the exposed RACM and any asbestos-contaminated debris must be treated as asbestos-containing waste material and kept adequately wet at all times until disposed of.
- (iv) Is a Category II non-friable ACM and the probability is low that the material will become crumbled, pulverized, or reduced to powder during demolition.

Demolition with Roofing Materials in place is covered under the NESHAP regulations (40 CFR Part 61 Subpart M).

Roofing materials that were not tested during this inspection should be assumed to be Category I asbestos-containing roofing materials.

Since demolition activities do not include sanding, grinding, cutting, or abrading, Category I asbestos-containing roofing materials not in poor condition and not friable are not considered RACM, and are allowed to remain in place during demolition.

If the asbestos-containing roofing material is not in poor condition and is not friable, it may be

disposed of in a landfill which accepts ordinary demolition waste.

The asbestos-containing roofing material may not be ground up for recycling into other products.

*If joint compound within the drywall system is identified as positive, a composite sample was analyzed per NESHAP. If the drywall system as a composite sample is less than 1% asbestos, the material is not considered RACM per NESHAP. However, OSHA requirements regarding materials containing less than 1% asbestos still apply, and contractors performing work should ensure they comply with the requirements if the material is not removed prior to demolition.

In addition, contractors should ensure they follow all OSHA regulations pertaining to demolition / demolition of Category I Asbestos-containing materials. Category I or II non-friable ACM that is not subject to 61.150(a)(3) would still have to be disposed of in a landfill that accepts building debris, in a landfill that operates in accordance with 61.154, or at a facility that operates in accordance with 61.155.

Prior to demolition, the following is recommended:

An asbestos abatement company, licensed in the State of Michigan should remove the materials identified as asbestos containing in Table I in accordance with all applicable Local, State, and Federal Requirements prior to demolition.

Other Regulated Materials/Universal Wastes, identified in Table III, must be transported and disposed in accordance with all applicable Local, State, and Federal Requirements prior to demolition.

LIMITATIONS:

The results, findings, conclusions, and recommendations expressed in the report are based only on conditions that were noted during Atlas' inspection of the vacant above-referenced property located in Kalamazoo, Michigan.

Any conditions or materials that could not be visually identified through limited destructive sampling were not inspected and may differ from those conditions or materials noted. The user of this report should keep in mind that conditions may change with time and observations made by Atlas at the time of the site reconnaissance may not be consistent with future observations made by others.

Additional materials may be encountered during the demolition process and may require further sampling to determine disposal criteria.

The report is designed to aid the building owner, architect, construction manager, general contractors, and potential asbestos abatement contractors in locating asbestos building materials and Other Regulated Materials/Universal Wastes to be removed prior to demolition activities.

Under no circumstances is the report to be utilized as a bidding document or as a project specification document. Contractors bidding the demolition of this site should field-verify project information.

Atlas appreciates the opportunity to be of service to the City of Kalamazoo on this project. In the meantime, if you have questions regarding the information in this report or if we can be of further assistance do not hesitate to contact our office at (616) 698-3131.

ATTACHMENT A

LABORATORY REPORTS AND CHAIN OF CUSTODY



To: Atlas - Novi
46555 Humboldt Dr. Suite 100
Novi, Michigan 48377

ETL Job: 244716
Client Project: 188BS21736
Report Date: 12/28/2021

Attention: Robert Smith

Project Location: City of Kalamazoo-120 Burr Oak


Lab Sample Number	Client Sample Number	Sample Type	Completed
1284848	1-RM-A	Asbestos	12/28/2021
1284849	1-RM-B	Asbestos	12/28/2021
1284850	1-RM-C	Asbestos	12/28/2021
1284851	2-FS-A	Asbestos	12/28/2021
1284852	2-FS-B	Asbestos	12/28/2021
1284853	2-FS-C	Asbestos	12/28/2021
1284854	3-VP-A	Asbestos	12/28/2021
1284855	3-VP-B	Asbestos	12/28/2021
1284856	3-VP-C	Asbestos	12/28/2021
1284857	4-WG-A	Asbestos	12/28/2021
1284858	4-WG-B	Asbestos	12/28/2021
1284859	4-WG-C	Asbestos	12/28/2021
1284860	5-WG-A	Asbestos	12/28/2021
1284861	5-WG-B	Asbestos	12/28/2021
1284862	5-WG-C	Asbestos	12/28/2021
1284863	6-EC-A	Asbestos	12/28/2021
1284864	6-EC-B	Asbestos	12/28/2021

Lab Sample Number	Client Sample Number	Sample Type	Completed
1284865	6-EC-C	Asbestos	12/28/2021
1284866	7-EC-A	Asbestos	12/28/2021
1284867	7-EC-B	Asbestos	12/28/2021
1284868	7-EC-C	Asbestos	12/28/2021
1284869	8-EC-A	Asbestos	12/28/2021
1284870	8-EC-B	Asbestos	12/28/2021
1284871	8-EC-C	Asbestos	12/28/2021
1284872	9-EC-A	Asbestos	12/28/2021
1284873	9-EC-B	Asbestos	12/28/2021
1284874	9-EC-C	Asbestos	12/28/2021
1284875	10-PL-A	Asbestos	12/28/2021
1284876	10-PL-B	Asbestos	12/28/2021
1284877	10-PL-C	Asbestos	12/28/2021
1284878	10-PL-D	Asbestos	12/28/2021
1284879	10-PL-E	Asbestos	12/28/2021
1284880	10-PL-F	Asbestos	12/28/2021
1284881	10-PL-G	Asbestos	12/28/2021
1284882	11-DWS-A	Asbestos	12/28/2021
1284883	11-DWS-B	Asbestos	12/28/2021
1284884	11-DWS-C	Asbestos	12/28/2021
1284885	11-DWS-D	Asbestos	12/28/2021
1284886	11-DWS-E	Asbestos	12/28/2021
1284887	11-DWS-F	Asbestos	12/28/2021
1284888	11-DWS-G	Asbestos	12/28/2021
1284889	12-DW-A	Asbestos	12/28/2021
1284890	12-DW-B	Asbestos	12/28/2021

Lab Sample Number	Client Sample Number	Sample Type	Completed
1284891	12-DW-C	Asbestos	12/28/2021
1284892	13-FT-A	Asbestos	12/28/2021
1284893	13-FT-B	Asbestos	12/28/2021
1284894	13-FT-C	Asbestos	12/28/2021
1284895	14-FT-A	Asbestos	12/28/2021
1284896	14-FT-B	Asbestos	12/28/2021
1284897	14-FT-C	Asbestos	12/28/2021
1284898	15-FT-A	Asbestos	12/28/2021
1284899	15-FT-B	Asbestos	12/28/2021
1284900	15-FT-C	Asbestos	12/28/2021
1284901	16-MLF-A	Asbestos	12/28/2021
1284902	16-MLF-B	Asbestos	12/28/2021
1284903	16-MLF-C	Asbestos	12/28/2021
1284904	17-FT-A	Asbestos	12/28/2021
1284905	17-FT-B	Asbestos	12/28/2021
1284906	17-FT-C	Asbestos	12/28/2021
1284907	18-FT-A	Asbestos	12/28/2021
1284908	18-FT-B	Asbestos	12/28/2021
1284909	18-FT-C	Asbestos	12/28/2021
1284910	19-CP-A	Asbestos	12/28/2021
1284911	19-CP-B	Asbestos	12/28/2021
1284912	19-CP-C	Asbestos	12/28/2021
1284913	20-CT-A	Asbestos	12/28/2021
1284914	20-CT-B	Asbestos	12/28/2021
1284915	20-CT-C	Asbestos	12/28/2021
1284916	21-CT-A	Asbestos	12/28/2021

Lab Sample Number	Client Sample Number	Sample Type	Completed
1284917	21-CT-B	Asbestos	12/28/2021
1284918	21-CT-C	Asbestos	12/28/2021
1284919	22-CP-A	Asbestos	12/28/2021
1284920	22-CP-B	Asbestos	12/28/2021
1284921	22-CP-C	Asbestos	12/28/2021
1284922	23-CP-A	Asbestos	12/28/2021
1284923	23-CP-B	Asbestos	12/28/2021
1284924	23-CP-C	Asbestos	12/28/2021
1284925	24-CT-A	Asbestos	12/28/2021
1284926	24-CT-B	Asbestos	12/28/2021
1284927	24-CT-C	Asbestos	12/28/2021
1284928	25-CA-A	Asbestos	12/28/2021
1284929	25-CA-B	Asbestos	12/28/2021
1284930	25-CA-C	Asbestos	12/28/2021
1284931	26-BM-A	Asbestos	12/28/2021
1284932	26-BM-B	Asbestos	12/28/2021
1284933	26-BM-C	Asbestos	12/28/2021
1284934	27-BM-A	Asbestos	12/28/2021
1284935	27-BM-B	Asbestos	12/28/2021
1284936	27-BM-C	Asbestos	12/28/2021
1284937	28-CC-A	Asbestos	12/28/2021
1284938	28-CC-B	Asbestos	12/28/2021
1284939	28-CC-C	Asbestos	12/28/2021
1284940	29-CC-A	Asbestos	12/28/2021
1284941	29-CC-B	Asbestos	12/28/2021
1284942	29-CC-C	Asbestos	12/28/2021

Lab Sample Number	Client Sample Number	Sample Type	Completed
1284943	30-CM-A	Asbestos	12/28/2021
1284944	30-CM-B	Asbestos	12/28/2021
1284945	30-CM-C	Asbestos	12/28/2021
1284946	31-CB-A	Asbestos	12/28/2021
1284947	31-CB-B	Asbestos	12/28/2021
1284948	31-CB-C	Asbestos	12/28/2021
1284949	32-MLF-A	Asbestos	12/28/2021
1284950	32-MLF-B	Asbestos	12/28/2021
1284951	32-MLF-C	Asbestos	12/28/2021
1284952	33-TPL-A	Asbestos	12/28/2021
1284953	33-TPL-B	Asbestos	12/28/2021
1284954	33-TPL-C	Asbestos	12/28/2021
1284955	34-CC-A	Asbestos	12/28/2021
1284956	34-CC-B	Asbestos	12/28/2021
1284957	34-CC-C	Asbestos	12/28/2021

Reviewed by: 
Emily Nowacki

<u>Summary</u>			
Method	Sample	Layer	Mastic
PLM	134	11	13

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284848 1-RM-A	Asphalt Roofing Materials	Black Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284849 1-RM-B	Asphalt Roofing Materials	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284850 1-RM-C	Asphalt Roofing Materials	Black Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284851 2-FS-A	Fiber Siding	Brown Fibrous Homogenous	PLM 98% Cellulose	PLM 2% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284851 2-FS-A	Black Adhesive	Black Non-Fibrous Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284852 2-FS-B	Fiber Siding	Brown Fibrous Homogenous	PLM 98% Cellulose	PLM 2% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284852 2-FS-B	Black Adhesive	Black Non-Fibrous Homogenous	PLM 20% Cellulose	PLM 80% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284853 2-FS-C	Fiber Siding	Brown Fibrous Homogenous	PLM 99% Cellulose	PLM 1% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284853 2-FS-C	Black Adhesive	Black Non-Fibrous Homogenous	PLM 25% Cellulose	PLM 75% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284854 3-VP-A	Vapor Paper	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284855 3-VP-B	Vapor Paper	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284856 3-VP-C	Vapor Paper	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

1284857 4-WG-A	Window Glaze	White Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

1284858 4-WG-B	Window Glaze	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

1284859 4-WG-C	Window Glaze	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

1284860 5-WG-A	Window Glaze	Beige Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

1284861 5-WG-B	Window Glaze	Beige Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284862 5-WG-C	Window Glaze	Beige Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284863 6-EC-A	Exterior Caulk	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284864 6-EC-B	Exterior Caulk	White Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284865 6-EC-C	Exterior Caulk	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284866 7-EC-A	Exterior Caulk	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284867 7-EC-B	Exterior Caulk	Black Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284868 7-EC-C	Exterior Caulk	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284869 8-EC-A	Exterior Caulk	White Non-Fibrous Homogenous	PLM 10% Other fibrous PLM 5% Cellulose	PLM 85% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284870 8-EC-B	Exterior Caulk	White Non-Fibrous Homogenous	PLM 10% Other fibrous PLM 4% Cellulose	PLM 86% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284871 8-EC-C	Exterior Caulk	White Non-Fibrous Homogenous	PLM 12% Other fibrous PLM 5% Cellulose	PLM 83% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284872 9-EC-A	Exterior Caulk	Gray Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284873 9-EC-B	Exterior Caulk	Gray Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284874 9-EC-C	Exterior Caulk	Gray Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284875 10-PL-A	Plaster	Gray Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284875 10-PL-A	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284876 10-PL-B	Plaster	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284876 10-PL-B	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284877 10-PL-C	Plaster	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284877 10-PL-C	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284878 10-PL-D	Plaster	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284878 10-PL-D	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284879 10-PL-E	Plaster	Gray Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284879 10-PL-E	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284880 10-PL-F	Plaster	Gray Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284880 10-PL-F	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284881 10-PL-G	Plaster	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284881 10-PL-G	Skimcoat	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284882 11-DWS-A	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 5% Cellulose	PLM 95% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284882 11-DWS-A	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284882 11-DWS-A	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284883 11-DWS-B	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284883 11-DWS-B	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284883 11-DWS-B	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284884 11-DWS-C	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284884 11-DWS-C	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284884 11-DWS-C	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284885 11-DWS-D	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284885 11-DWS-D	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284885 11-DWS-D	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284886 11-DWS-E	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 5% Cellulose	PLM 95% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284886 11-DWS-E	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284886 11-DWS-E	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284887 11-DWS-F	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 5% Cellulose	PLM 95% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284887 11-DWS-F	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284887 11-DWS-F	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284888 11-DWS-G	Drywall System - Drywall	Gray Non-Fibrous Homogenous	PLM 4% Cellulose	PLM 96% Other	PLM None Detected
Layer-1 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284888 11-DWS-G	Drywall System - Mud	Beige Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284888 11-DWS-G	Drywall System - Tape	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Layer-3 Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284889 12-DW-A	Duct Wrap	Gray Fibrous Homogenous	PLM 2% Cellulose	PLM 23% Other	PLM 75% Chrysotile
Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284890 12-DW-B		Positive Stop			
Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Sample Not Analyzed					
1284891 12-DW-C		Positive Stop			
Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Sample Not Analyzed					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284892 13-FT-A	Floor Tile - 9x9	White/Brown Non-Fibrous Homogenous		PLM 95% Other	PLM 5% Chrysotile
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284892 13-FT-A	Mastic	Black Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284893 13-FT-B		Positive Stop			
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284893 13-FT-B	Mastic	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284894 13-FT-C		Positive Stop			
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284894 13-FT-C	Mastic	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284895 14-FT-A	Floor Tile - 12x12	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284896 14-FT-B	Floor Tile - 12x12	White Non-Fibrous Homogenous		PLM 100% Other	PLM None Detected
Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284897 14-FT-C	Floor Tile - 12x12	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284898 15-FT-A	Floor Tile - 9x9	Black Non-Fibrous Homogenous		PLM 96% Other	PLM 4% Chrysotile
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284898 15-FT-A	Tar Paper	Black Fibrous Homogenous	PLM 70% Cellulose	PLM 30% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284898 15-FT-A	Mastic	Beige Non-Fibrous Homogenous	PLM 1% Cellulose PLM 1% Fiberglass	PLM 98% Other	PLM None Detected
Layer-3 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284899 15-FT-B		Positive Stop			
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284899 15-FT-B	Tar Paper	Black Fibrous Homogenous	PLM 75% Cellulose	PLM 25% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284899 15-FT-B	Mastic	Beige Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-3 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284900 15-FT-C		Positive Stop			
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284900 15-FT-C	Tar Paper	Black Fibrous Homogenous	PLM 70% Cellulose	PLM 30% Other	PLM None Detected
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284900 15-FT-C	Mastic	Beige Non-Fibrous Homogenous	PLM 1% Cellulose PLM 1% Fiberglass	PLM 98% Other	PLM None Detected
Layer-3 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284901 16-MLF-A	Multi-Layer Floor - Floor Tile	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284901 16-MLF-A	Floor Tile	Gray Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 92% Other	PLM 7% Chrysotile
Layer-2 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284901 16-MLF-A	Tar Paper	Black Fibrous Homogenous	PLM 80% Cellulose	PLM 20% Other	PLM None Detected
Layer-3 Analyst: Madeline Palmer Date Analyzed : 12/28/2021					
1284902 16-MLF-B	Multi-Layer Floor - Floor Tile	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284902 16-MLF-B		Positive Stop			
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284902 16-MLF-B	Tar Paper	Black Fibrous Homogenous	PLM 80% Cellulose	PLM 20% Other	PLM None Detected
Layer-3 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284903 16-MLF-C	Multi-Layer Floor - Floor Tile	White Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284903 16-MLF-C		Positive Stop			
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021 Layer Not Analyzed					
1284903 16-MLF-C	Tar Paper	Black Fibrous Homogenous	PLM 80% Cellulose	PLM 20% Other	PLM None Detected
Layer-3 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284904 17-FT-A	Floor Tile - 9x9	Cream/Green Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284904 17-FT-A	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284905 17-FT-B	Floor Tile - 9x9	Cream/Green Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284905 17-FT-B	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284906 17-FT-C	Floor Tile - 9x9	Cream/Green Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284906 17-FT-C	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284907 18-FT-A	Floor Tile - 9x9	Cream/Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284907 18-FT-A	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284908 18-FT-B	Floor Tile - 9x9	Cream/Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284908 18-FT-B	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284909 18-FT-C	Floor Tile - 9x9	Cream/Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284909 18-FT-C	Mastic & Fiber Backing	Brown Fibrous Non-Homogenous	PLM 10% Cellulose	PLM 90% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284910 19-CP-A	Ceiling Panel	Gray Fibrous Homogenous	PLM 95% Cellulose PLM 5% Mineral wool		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284911 19-CP-B	Ceiling Panel	Gray Fibrous Homogenous	PLM 90% Cellulose PLM 5% Mineral wool	PLM 5% Other	PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284912 19-CP-C	Ceiling Panel	Gray Fibrous Homogenous	PLM 90% Cellulose PLM 10% Mineral wool		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284913 20-CT-A	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284914 20-CT-B	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284915 20-CT-C	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284916 21-CT-A	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					
1284917 21-CT-B	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected
Analyst: Ian McCusker Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284918 21-CT-C	Ceiling Tile	Brown Fibrous Homogenous	PLM 100% Cellulose		PLM None Detected

Analyst: Ian McCusker
 Date Analyzed : 12/28/2021

1284919 22-CP-A	Ceiling Panel	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
--------------------	---------------	-------------------------------	-------------------	---------------	-------------------

Layer-1 Analyst: Yanesa Guzman
 Date Analyzed : 12/28/2021

1284920 22-CP-B	Ceiling Panel	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
--------------------	---------------	-------------------------------	-------------------	---------------	-------------------

Layer-1 Analyst: Yanesa Guzman
 Date Analyzed : 12/28/2021

1284921 22-CP-C	Ceiling Panel	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
--------------------	---------------	-------------------------------	-------------------	---------------	-------------------

Layer-1 Analyst: Yanesa Guzman
 Date Analyzed : 12/28/2021

1284922 23-CP-A	Ceiling Panel	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
--------------------	---------------	--------------------------------	-------------------	---------------	-------------------

Layer-1 Analyst: Yanesa Guzman
 Date Analyzed : 12/28/2021

1284923 23-CP-B	Ceiling Panel	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
--------------------	---------------	--------------------------------	-------------------	---------------	-------------------

Layer-1 Analyst: Yanesa Guzman
 Date Analyzed : 12/28/2021

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284924 23-CP-C	Ceiling Panel	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284925 24-CT-A	Ceiling Tile	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284926 24-CT-B	Ceiling Tile	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284927 24-CT-C	Ceiling Tile	Brown Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284928 25-CA-A	Construction Adhesive	Tan Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284929 25-CA-B	Construction Adhesive	Tan Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284930 25-CA-C	Construction Adhesive	Tan Non-Fibrous Homogenous	PLM 3% Cellulose	PLM 97% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284931 26-BM-A	Brick & Mortar	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284932 26-BM-B	Brick & Mortar	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284933 26-BM-C	Brick & Mortar	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284934 27-BM-A	Brick & Mortar	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284935 27-BM-B	Brick & Mortar	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284936 27-BM-C	Brick & Mortar	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284937 28-CC-A	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284938 28-CC-B	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284939 28-CC-C	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284940 29-CC-A	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284941 29-CC-B	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284942 29-CC-C	Concrete Chip	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284943 30-CM-A	Carpet Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284944 30-CM-B	Carpet Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284945 30-CM-C	Carpet Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284946 31-CB-A	Cove Base	Brown Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284946 31-CB-A	Adhesive	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284947 31-CB-B	Cove Base	Brown Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284947 31-CB-B	Adhesive	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284948 31-CB-C	Cove Base	Brown Non-Fibrous Homogenous	PLM 1% Cellulose	PLM 99% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284948 31-CB-C	Adhesive	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284949 32-MLF-A	Multi-layer Floor	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284949 32-MLF-A	Multi-layer Floor Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284949 32-MLF-A	Multi-layer Floor	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-3 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284950 32-MLF-B	Multi-layer Floor	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284950 32-MLF-B	Multi-layer Floor Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284950 32-MLF-B	Multi-layer Floor	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-3 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284951 32-MLF-C	Multi-layer Floor	Tan Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284951 32-MLF-C	Multi-layer Floor Mastic	Brown Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284951 32-MLF-C	Multi-layer Floor	Grey Fibrous Homogenous	PLM 90% Cellulose	PLM 10% Other	PLM None Detected
Layer-3 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284952 33-TPL-A	Textured Plaster	White Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284953 33-TPL-B	Textured Plaster	White Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284954 33-TPL-C	Textured Plaster	White Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284955 34-CC-A	Stack Cement	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284956 34-CC-B	Stack Cement	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284956 34-CC-B	Stack Cement	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

Polarized Light Microscopy Asbestos Analysis Report

To : Atlas - Novi
 46555 Humboldt Dr. Suite 100
 Novi, Michigan 48377

ETC Job : 244716
Client Project : 188BS21736
Date Collected : 12/16/2021
Date Received : 12/22/2021

Location :
 City of Kalamazoo-120 Burr Oak

Sample	Description	Appearance	% Fibrous	% Non-Fibrous	% Asbestos
1284957 34-CC-C	Stack Cement	Grey Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-1 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					
1284957 34-CC-C	Stack Cement	Black Non-Fibrous Homogenous	PLM 2% Cellulose	PLM 98% Other	PLM None Detected
Layer-2 Analyst: Yanesa Guzman Date Analyzed : 12/28/2021					



Lab Supervisor/Other Signatory

Analyst:



Ian McCusker



Madeline Palmer



Yanesa Guzman

400 Point Count Results by EPA 600/R-93/116 PLM (denoted by "PC")
 Item 198.1: PLM Methods for Identifying and Quantitating Asbestos in Bulk Samples
 Item 198.6: PLM Methods for Identifying and Quantitating Asbestos in Non-Friable Organically Bound Bulk Samples
 EPA 600/R-93/116: Method for Determination of Asbestos in Bulk Building Materials
 EPA 600/M4-82-020: Interim Method for Determination of Asbestos in Bulk Insulation Samples
 A % Asbestos result of "Trace" indicates that the analyzed material was found to contain less than 1% asbestos and would not be considered an Asbestos Containing Material (ACM).

ETL, Inc. maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced without written approval by ETL, Inc. Test Method EPA 600/R-93-116 & EPA 600/M4-82/020 or NYSDOH-ELAP item 198.1 and/or 198.6 was used to analyze all samples. Matrix interference and/or resolution limits (i.e. detecting asbestos in non-friable organically bound materials) may yield false results in certain circumstances. Quantitative transmission electron microscopy (TEM) is currently the only method that can pronounce materials as non-asbestos containing. Interpretation and use of test results are the responsibility of the client. ETL, Inc. is not responsible for the accuracy of the results when requested to physically separate and analyze layered samples. Any PLM results below 10% should be re-analyzed using the EPA recommended Point Count method. Any material that has greater than 1% asbestos content is considered to be an Asbestos Containing Material (ACM). These materials are regulated by both OSHA and the EPA and must be treated accordingly. Results are related to only to samples that were tested. An estimate of uncertainty can be provided at the client's request.

**Bulk Asbestos
 Chain of Custody**

ETL Project #: **244716**

Client: ATC Group Services	Contact: Rob Smith Phone: 248-669-5140	Project Location/name: CITY OF KALAMAZOO - 120 BURR OAK
Address: 46555 Humboldt Dr. Ste. 100 Novi, MI 48377	Fax: 248-669-5147 E-mail: robert.smith@atcgs.com	Client Project #: 188BS21736
Please Provide Results: <input type="checkbox"/> Email <input type="checkbox"/> Fax <input type="checkbox"/> Verbal <input type="checkbox"/> Other		Date Sampled: 12.16.2021

Turnaround Time (TAT): RUSH Same Day 24 hr 48 hr Standard (3-5 days) Other 72 hours

PLM Instructions
(Check all that apply)

<input checked="" type="checkbox"/> PLM EPA600/R-93/116, 1993 (Standard method)	<input checked="" type="checkbox"/> Stop at 1st Positive -
Point Counting: <input type="checkbox"/> 400 Points* <input type="checkbox"/> NYSDOH ELAP 198.1, 2002*	Clearly mark Homogenous Group
<input type="checkbox"/> Gravimetric Reduction* <input type="checkbox"/> NYSDOH ELAP 198.6, 2010*	
<input type="checkbox"/> PLM Non-Building Material (Dust, Wipe, Tape)	<input type="checkbox"/> Soil or Vermiculite Analysis*

* Additional charge and turnaround may be required

1284848
849
850
851
852
853
854
855
856
857

Lab ID	Sample ID	Material Description	Sample Location	QUANTITY
	1-RM-A	Asphalt roofing materials	EA-5	NA
	1-RM-B	Asphalt roofing materials	EA-5	NA
	1-RM-C	Asphalt roofing materials	EA-5	NA
	2-FS-A	Fiber siding with black adhesive - under aluminium siding	EA-1	NA
	2-FS-B	Fiber siding with black adhesive - under aluminium siding	EA-2	NA
	2-FS-C	Fiber siding with black adhesive - under aluminium siding	EA-3	NA
	3-VP-A	Vapor paper - brown with foil layer	EA-1	NA
	3-VP-B	Vapor paper - brown with foil layer	EA-2	NA
	3-VP-C	Vapor paper - brown with foil layer	EA-3	NA
	4-WC-A	Window glaze - white on 1st and 2nd story windows	EA-4	NA

	Date	Time
Relinquished (Name/Organization): Andrew DeLodder / Atlas Technical Consultants	12/22/21	12:00 PM
Received (Name/ETL): <i>Renea Separato</i>	12-22-21	12:00 am
Sample Login (Name/ETL): <i>Renea Separato</i>	12-23-21	11:15 am
Stereoscopical/Sample Analysis (Name/ETL): <i>Janet...</i>	12-28-21	3:30 am
Results (Name/ETL): <i>Janet...</i>	12-28-21	3:30 am
QA/QC Review (Name/ETL): <i>Renea Separato</i>	12-28-21	3:30 am

Special Instructions: • 1st Positive Stop;
 • Composite all drywall/joint compound/mud samples if any layer of system is GREATER than 1% asbestos;
 • Point Count ALL PLASTER samples Trace to 3% asbestos content
 • Point Count ALL SAMPLES Trace to 1% asbestos content

Remarks

**IN ORDER TO ENSURE RESULTS BY SPECIFIED TAT, THE LAB MUST BE EMAILED/CALLED WITH THE QUANTITY OF SAMPLES TO BE SHIPPED OR DROPPED OFF

ETL Project #: **244716**

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

1284

Lab ID	Sample ID	Material Description	Sample Location	QUANTITY
858	4-WG-B	Window glaze - white on 1st and 2nd story windows	EA-1	NA
859	4-WG-C	Window glaze - white on 1st and 2nd story windows	EA-1	NA
860	5-WG-A	Window glaze - beige - on basement windows	EA-2	NA
861	5-WG-B	Window glaze - beige - on basement windows	EA-2	NA
862	5-WG-C	Window glaze - beige - on basement windows	EA-2	NA
863	6-EC-A	Exterior caulk - white on aluminium siding along door and window frames	EA-4	NA
864	6-EC-B	Exterior caulk - white on aluminium siding along door and window frames	EA-2	NA
865	6-EC-C	Exterior caulk - white on aluminium siding along door and window frames	EA-3	NA
866	7-EC-A	Exterior caulk - black between chimney block and wood siding	EA-3	NA
867	7-EC-B	Exterior caulk - black between chimney block and wood siding	EA-3	NA
868	7-EC-C	Exterior caulk - black between chimney block and wood siding	EA-3	NA
869	8-EC-A	Exterior caulk - white between chimney block and aluminium siding	EA-3	NA
870	8-EC-B	Exterior caulk - white between chimney block and aluminium siding	EA-3	NA
871	8-EC-C	Exterior caulk - white between chimney block and aluminium siding	EA-3	NA
872	9-EC-A	Gray - along perimeter of basement windows	EA-9	NA
873	9-EC-B	Gray - along perimeter of basement windows	EA-9	NA
874	9-EC-C	Gray - along perimeter of basement windows	EA-9	NA
875	10-PL-A	Plaster - on lath	FS-6	NA
876	10-PL-B	Plaster - on lath	FS-7	NA
877	10-PL-C	Plaster - on lath	FS-8	NA
878	10-PL-D	Plaster - on lath	FS-10	NA
879	10-PL-E	Plaster - on lath	FS-16	NA
880	10-PL-F	Plaster - on lath	FS-18	NA
881	10-PL-G	Plaster - on lath	FS-21	NA
882	11-DWS-A	Drywall system - wallboard and joint compound	FS-8	NA
883	11-DWS-B	Drywall system - wallboard and joint compound	FS-8	NA
884	11-DWS-C	Drywall system - wallboard and joint compound	FS-9	NA

ENVIRONMENTAL TESTING LABORATORIES, INC



38900 HURON RIVER DRIVE
 ROMULUS, MICHIGAN 48174
 (734) 955-6600
 FAX: (734) 992-2261
 www.2etl.com

**Bulk Asbestos
 Chain of Custody**

ETL Project #: **244716**

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

1284885
 886
 887
 888
 889
 890
 891
 892
 893
 894
 895
 896
 897
 898
 899
 900
 901
 902
 903
 904
 905
 906
 907
 908
 909
 910
 911
 912

Lab ID	Sample ID	Material Description	Sample Location	QUANTITY
1284885	11-DWS-D	Drywall system - wallboard and joint compound	FS-12	NA
886	11-DWS-E	Drywall system - wallboard and joint compound	FS-12	NA
887	11-DWS-F	Drywall system - wallboard and joint compound	FS-20	NA
888	11-DWS-G	Drywall system - wallboard and joint compound	FS-21	NA
889	12-DW-A	Duct wrap - on remaining HVAC ducts	FS-14	NA
890	12-DW-B	Duct wrap - on remaining HVAC ducts	FS-14	NA
891	12-DW-C	Duct wrap - on remaining HVAC ducts	FS-14	NA
892	13-FT-A	Floor tile - 9"x9" white	FS-7	NA
893	13-FT-B	Floor tile - 9"x9" white	FS-7	NA
894	13-FT-C	Floor tile - 9"x9" white	FS-7	NA
895	14-FT-A	Floor tile - 12"x12" white	FS-9	NA
896	14-FT-B	Floor tile - 12"x12" white	FS-9	NA
897	14-FT-C	Floor tile - 12"x12" white	FS-9	NA
898	15-FT-A	Floor tile - 9"x9" - blackFloor tile -	FS-10	NA
899	15-FT-B	Floor tile - 9"x9" - blackFloor tile -	FS-10	NA
900	15-FT-C	Floor tile - 9"x9" - blackFloor tile -	FS-13	NA
901	16-MLF-A	Multi-layered floor	FS-11	NA
902	16-MLF-B	Multi-layered floor	FS-11	NA
903	16-MLF-C	Multi-layered floor	FS-11	NA
904	17-FT-A	Floor tile - 9"x9" - cream with green streaks	FS-16	NA
905	17-FT-B	Floor tile - 9"x9" - cream with green streaks	FS-16	NA
906	17-FT-C	Floor tile - 9"x9" - cream with green streaks	FS-21	NA
907	18-FT-A	Floor tile - 9"x9" - cream with brown streaks	FS-18	NA
908	18-FT-B	Floor tile - 9"x9" - cream with brown streaks	FS-18	NA
909	18-FT-C	Floor tile - 9"x9" - cream with brown streaks	FS-18	NA
910	19-CP-A	Ceiling panel - 2'x4' pinhole and fissure	FS-6	NA
911	19-CP-B	Ceiling panel - 2'x4' pinhole and fissure	FS-6	NA
912	19-CP-C	Ceiling panel - 2'x4' pinhole and fissure	FS-6	NA

ETL Project #: **244716**

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

1284913
 914
 915
 916
 917
 918
 919
 920
 921
 922
 923
 924
 925
 926
 927
 928
 929
 930
 931
 932
 933
 934
 935
 936
 937
 938
 939

Lab ID	Sample ID	Material Description	Sample Location	QUANTITY
	20-CT-A	Ceiling tile - 12"x12" rough texture	FS-7	NA
	20-CT-B	Ceiling tile - 12"x12" rough texture	FS-7	NA
	20-CT-C	Ceiling tile - 12"x12" rough texture	FS-7	NA
	21-CT-A	Ceiling tile - 12"x12" smooth texture	FS-8	NA
	21-CT-B	Ceiling tile - 12"x12" smooth texture	FS-8	NA
	21-CT-C	Ceiling tile - 12"x12" smooth texture	FS-8	NA
	22-CP-A	Ceiling panel - 2'x2' fissure texture	FS-8	NA
	22-CP-B	Ceiling panel - 2'x2' fissure texture	FS-8	NA
	22-CP-C	Ceiling panel - 2'x2' fissure texture	FS-8	NA
	23-CP-A	Ceiling panel - 2'x4' popcorn texture	FS-20	NA
	23-CP-B	Ceiling panel - 2'x4' popcorn texture	FS-20	NA
	23-CP-C	Ceiling panel - 2'x4' popcorn texture	FS-20	NA
	24-CT-A	Ceiling tile - 12"x12" swirl texture	FS-19	NA
	24-CT-B	Ceiling tile - 12"x12" swirl texture	FS-19	NA
	24-CT-C	Ceiling tile - 12"x12" swirl texture	FS-19	NA
	25-CA-A	Construction adhesive - beige, on door	FS-7	NA
	25-CA-B	Construction adhesive - beige, on door	FS-7	NA
	25-CA-C	Construction adhesive - beige, on door	FS-8	NA
	26-BM-A	Brick and mortar - chimney stack	FS-15	NA
	26-BM-B	Brick and mortar - chimney stack	FS-15	NA
	26-BM-C	Brick and mortar - chimney stack	FS-15	NA
	27-BM-A	Brick and mortar - basement rock and mortar foundation	FS-14	NA
	27-BM-B	Brick and mortar - basement rock and mortar foundation	FS-14	NA
	27-BM-C	Brick and mortar - basement rock and mortar foundation	FS-14	NA
	28-CC-A	Concrete chip - exterior concrete	EA-4	NA
	28-CC-B	Concrete chip - exterior concrete	EA-4	NA
	28-CC-C	Concrete chip - exterior concrete	EA-4	NA

ATTACHMENT B

PHOTOGRAPHS

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



Street view of the house located at 120 Burr Oak (EA-1)



View of the left side of the house (EA-2)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the rear of the house (EA-3)



View of the right side of the house (EA-4)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the roof (EA-5)



View of the front entry (FS-6)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of bedroom #1 (FS-7)



View of the bedroom #2 (FS-8)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the bathroom #1 (FS-9)



View of the living room (FS-10)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the kitchen (FS-11)



View of bedroom #3 (FS-12)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the stairway to the basement (FS-13)



View of the basement (FS-14)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the chimney (FS-15)



View of the stairway to the second floor (FS-16)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the closet (FS-17)



View of bedroom #4 (FS-18)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of the kitchen (FS-19)



View of bathroom #2 (FS-20)

ASBESTOS-CONTAINING MATERIAL SURVEY
VACANT RESIDENTIAL PROPERTY

120 BURR OAK STREET
KALAMAZOO, MI 49001



View of bedroom #5 (FS-21)



View of the attic access (FS-22)